# 1Z0-808<sup>Q&As</sup>

Java SE 8 Programmer I

### Pass Oracle 1Z0-808 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/1z0-808.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

Leads4Pass

800,000+ Satisfied Customers



## Leads4Pass

#### **QUESTION 1**

Given: What is the result?

```
public class TestLoop {
1.
       public static void main (String[] args) (
2.
3.
            float myarray[] = (10.20f, 20.30f, 30.40f, 50.60f);
4.
            int index = 0;
5.
            boolean isFound = false;
6.
            float key = 30.40f;
7.
           // insert code here
8.
            System.out.println(isFound);
9.
        3
10.
     3
```

A. x: 1 y: 2

B. 3 y: 4

C. x: 0 y: 0

- D. 3 y: 4
- E. x: 1 y: 2
- F. 0 y: 0
- G. x: 0 y: 0
- H. 0 y: 0

Correct Answer: C

#### **QUESTION 2**

Given the code fragment:

```
final abstract class A5 {
    protected static int i;
    void doStuff()()
    abstract void doIt();
}
```

}

What is the result?

A. Compilation fails.

B. Hi removed

- C. An UnsupportedOperationException is thrown at runtime.
- D. The program compiles, but it prints nothing.

Correct Answer: A

#### **QUESTION 3**

Which statement will empty the contents of a StringBuilder variable named sb?

- A. sb. deleteAll ();
- B. sb. delete (0, sb. size () );
- C. sb. delete (0, sb. length () );
- D. sb. removeAll ();

Correct Answer: C

#### **QUESTION 4**

Which two statements correctly describe checked exception?

A. These are exceptional conditions that a well-written application should anticipate and recover from.

B. These are exceptional conditions that are external to the application, and that the application usually cannot anticipate or recover from.

C. These are exceptional conditions that are internal to the application, and that the application usually cannot anticipate or recover from.

D. Every class that is a subclass of RuntimeException and Error is categorized as checked exception.

E. Every class that is a subclass of Exception, excluding RuntimeException and its subclasses, is categorized as checked exception.

Correct Answer: BD

Explanation: Checked exceptions:

\*

(B) represent invalid conditions in areas outside the immediate control of the program (invalid user input, database problems, network outages, absent files)

\*

are subclasses of Exception It\\'s somewhat confusing, but note as well that RuntimeException (unchecked) is itself a subclass of Exception (checked).

\*

## Leads4Pass

a method is obliged to establish a policy for all checked exceptions thrown by its implementation (either pass the checked exception further up the stack, or handle it somehow)

Reference: Checked versus unchecked exceptions

#### **QUESTION 5**

Given the following code for the classes MyException and Test: What is the result?

float i = 4; float j - 2; \_\_\_\_\_ z = i + j;

A. A

В. В

C. Either A or B

D. A B

E. A compile time error occurs at line n1

Correct Answer: B

1Z0-808 PDF Dumps

1Z0-808 VCE Dumps

1Z0-808 Braindumps