

1Z0-808^{Q&As}

Java SE 8 Programmer I

Pass Oracle 1Z0-808 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-808.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Given the code fragment:

```
1
2 public class Test {
3     public static void main(String[] args) {
4         int ans;
5         try {
6             int num = 10;
7             int div = 0;
8             ans = num / div;
9         } catch (ArithmeticException ae) {
10            ans = 0;
11        } catch (Exception e) {
12            System.out.println("Invalid calculation");
13        }
14        System.out.println("Answer = " + ans); //line n2
15    }
16 }
17
```

✖ variable ans might not have been initialized

✖

What is the result?

- A. 2012-02-10
- B. 2012-01-30
- C. 2012-02-10 00:00
- D. A DateTimeException is thrown at runtime.

Correct Answer: D

QUESTION 2

Given the code fragment:

```
package p1;
public interface DoInterface {
    void m1(int n);
    public void m2(int n); // line n1
}

package p3;
import p1.DoInterface;
public class DoClass implements DoInterface{
    int x1,x2;
    DoClass(){
        this.x1 = 0;
        this.x2 = 10;
    }
    public void m1(int p1) { x1+=p1; System.out.println(x1); } // line n2
    public void m2(int p1) { x2+=p1; System.out.println(x2); }
}

package p2;
import p1.*;
import p3.*;
class Test {
    public static void main(String[] args){
        DoInterface doi= new DoClass(); // line n3
        doi.method1(100);
        doi.method2(200);
    }
}
```

Which code fragment, when inserted at line n1, enables the App class to print Equal?

```
class Product {
    double price;
}

public class Test {
    public void updatePrice(Product product, double price) {
        price = price * 2;
        product.price = product.price + price;
    }
    public static void main(String[] args) {
        Product prt = new Product();
        prt.price = 200;
        double newPrice = 100;

        Test t = new Test();
        t.updatePrice(prt, newPrice);
        System.out.println(prt.price + " : " + newPrice);
    }
}
```

A. Option A

B. Option B


C. Option C

D. Option D

Correct Answer: B

QUESTION 3

Given the code fragment:



```
Console 8
Exception in thread "main" java.lang.ArrayIndexOutOfBoundsException: Index 2 out of bounds for length 2
    at Test.main(Test.java:11)

Console 9
Completed with exit code: 1
```

Test.java:

```
public class App {
    public static void main(String[] args) {
        String str1 = "Java";
        String str2 = new String("java");
        //line n1
        {
            System.out.println("Equal");
        } else {
            System.out.println("Not Equal");
        }
    }
}
```

Which is the result?

- A) `str1.toLowerCase();`
`if (str1 == str2)`
- B) `if (str2.equals(str1.toLowerCase()))`
- C) `str1.toLowerCase();`
`if (str1.equals(str2))`
- D) `if (str1.toLowerCase() == str2.toLowerCase())`

A. Option A

B. Option B

C. Option C

D. Option D

E. Option E

Correct Answer: D

QUESTION 4

Given:

```
int sum is 30
float sum is 30.0
```

What is the result?

```
int sum is 30
double sum is 30.0
```

A. B. C. D.

Correct Answer: B

QUESTION 5

boolean log3 = (5.0 != 6.0) andand (4 != 5); boolean log4 = (4 != 4) || (4 == 4); System.out.println("log3:" + log3 + "\nlog4" + log4); What is the result?

A. log3:false log4:true

B. log3:true log4:true

C. log3:true log4:false

D. log3:false log4:false

Correct Answer: B

[1Z0-808 Practice Test](#)

[1Z0-808 Study Guide](#)

[1Z0-808 Braindumps](#)