

## 1Z0-813<sup>Q&As</sup>

Upgrade to Java SE 8 OCP (Java SE 6 and all prior versions)

## Pass Oracle 1Z0-813 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.lead4pass.com/1z0-813.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**

Given the code fragment:

```
SimpleDateFormat sdf;
sdf = new SimpleDateFormat("zzzz", Locale.US);
System.out.println("Result: "
```

What type of result is printed?

A. Time of the Epoch (in milliseconds)

B. Julian date

C. Era

D. Time zone abbreviation

E. Full-text time zone name

Correct Answer: E

Output could be:

Result: Central European Time

Note: To make the code work you would need the following code which get today\\'s date in Java.

Date today = new Date();

Reference: http://www.java67.com/2013/01/how-to-format-date-in-java-simpledateformat-example.html

#### **QUESTION 2**

Given: and the code fragment:

```
class Person {
      private String firstName;
      private int salsary;
      public Person (String fN,
          this.firstName = fN
          this.salary = sal
      public int getSalary() { return salary; }
      public String getFirstName() {return firstName; }
  1
List<Person> prog = Arrays.asList(
        new Person ("Smith", 1500)
        new Person ("John", 2000)
        new Person("Joe", 1000);
double dVal = prog.stream()
        .filter(s -> s.getFirstName().startsWith("J"))
        .mapToInt(Person::getSalary)
        .average()
        .getAsDouble();
System.out.print(dVal);
```

What is the result?

A. A compilation error occurs.

B. 2000.0

C. 1500.0

D. 0.0

Correct Answer: A

The line mapToInt(Person::GetSalary) will cause a compile error.

If it is replaced by the following line, a "." is added in the beginning of the line, the result would be 1500.0:

.mapToInt(Person::getSalary)

#### **QUESTION 3**

Which two elements must be present in any valid pipeline? (Choose two.)

A. a lambda expression or a method reference

B. a source

# VCE & PDF Lead4Pass.com

#### https://www.lead4pass.com/1z0-813.html

2021 Latest lead4pass 1Z0-813 PDF and VCE dumps Download

- C. one or more intermediate operations
- D. a reduction operation
- E. a terminal operation

Correct Answer: BE

A stream pipeline consists of a source (such as a Collection, an array, a generator function, or an I/O channel); followed by zero or more intermediate operations such as Stream.filter or Stream.map; and a terminal operation such as Stream.forEach or Stream.reduce.

Reference: https://docs.oracle.com/javase/8/docs/api/java/util/stream/package-summary.html

#### **QUESTION 4**

Given the following incorrect program:

```
class MyTask extends RecursiveTask<Integer> {
    final int low; final int high;
    static final int THRESHOLD - /*...*/;
    MyTask(int low, int high) { this.low = low; this.high = high; }
    Integer computeDirectly() { /*...*/ }
    protected void compute() {
        if (high - low <= THRESHOLD)
            return computeDirectly();
        int mid = (low + high) / 2;
        invokeAll(new MyTask(low, mid), new MyTask(mid, high));
    }
}</pre>
```

Which two changes make the program work correctly? (Choose two.)

- A. The MyTask class must be modified to extend RecursiveAction instead of RecursiveTask.
- B. The computeDirectly() method must be enhanced to fork() newly created tasks.
- C. The compute() method must be changed to return an Integer result.
- D. The THRESHOLD value must be increased so that the overhead of task creation does not dominate the cost of computation.
- E. Results must be retrieved from the newly created MyTask instances and combined.
- F. The midpoint computation must be altered so that it splits the workload in an optimal manner.

Correct Answer: CE

The compute() method must return an Integer result. The results of the InvokeAll tasks must be combined.

**Incorrect Answers:** 

#### https://www.lead4pass.com/1z0-813.html

2021 Latest lead4pass 1Z0-813 PDF and VCE dumps Download

A: RecursiveAction is just like RecursiveTask except it does not return a result

F: The Midpoint, mid = (low + high)/2, is fine. Reference: http://www.baeldung.com/java-fork-join

#### **QUESTION 5**

Given: What is the result when you compile the code and execute the command: java MyApp kava

A. kava

B. Kava

C. kawa

D. Kawa

E. An exception is thrown at runtime.

Correct Answer: D

Latest 1Z0-813 Dumps

1Z0-813 Study Guide

1Z0-813 Exam Questions

To Read the Whole Q&As, please purchase the Complete Version from Our website.

## Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

**Instant Download After Purchase** 

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

### **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.