

1Z0-815^{Q&As}

Java SE 11 Programmer I

Pass Oracle 1Z0-815 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-815.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Given:

```
import java.io.*;
public class Tester {
    public static void main(String[] args) {
        try {
            doA();
            doB();
        } catch(IOException e) {
            System.out.print("c");
            return;
        } finally{
            System.out.print("d");
        }
        System.out.print("f");
    }
    private static void doA() {
        System.out.print("a");
        if (false) {
            throw new IndexOutOfBoundsException();
        }
    }
    private static void doB() throws FileNotFoundException {
        System.out.print("b");
        if (true) {
            throw new FileNotFoundException();
        }
    }
}
```

What is the result?

- A. The compilation fails.
- B. abdf
- C. abd
- D. adf
- E. abcd

Correct Answer: A

QUESTION 2

Given:

```
public class Test {
    public static void main(String[] args) {
        int x;
        int y = 5;
        if (y > 2) {
            x = ++y;
            y = x + 7;
        } else {
            y++;
        }
        System.out.print(x + " " + y);
    }
}
```

What is the result?

- A. compilation error
- B. 0 5
- C. 6 13
- D. 5 12

Correct Answer: A

```
1 public class Test {
2     public static void main (String[] args) {
3         int x;
4         int y = 5;
5         if (y > 2) {
6             x = ++y;
7             y = x + 7;
8         } else {
9             y++;
10        }
11        System.out.print(x + " "+y);
12    }
13 }
```

variable x might not have been initialized

QUESTION 3

Given: Which two changes need to be made to make this class compile? (Choose two.)

```
public interface API { //line 1
    public void checkValue(Object value)
        throws IllegalArgumentException; //line 2
    public boolean isValueANumber(Object val) {
        if(val instanceof Number) {
            return true;
        }else {
            try {
                Double.parseDouble(val.toString());
                return true;
            }catch (NumberFormatException ex) {
                return false;
            }
        }
    }
}
```

- A. Change Line 1 to an abstract class: public abstract class API {
- B. Change Line 2 access modifier to protected: protected void checkValue(Object value) throws IllegalArgumentException;
- C. Change Line 1 to a class: public class API {
- D. Change Line 1 to extend java.lang.AutoCloseable: public interface API extends AutoCloseable {

E. Change Line 2 to an abstract method: public abstract void checkValue(Object value) throws IllegalArgumentException;

Correct Answer: CE

QUESTION 4

Which describes a characteristic of setting up the Java development environment?

- A. Setting up the Java development environment requires that you also install the JRE.
- B. The Java development environment is set up for all operating systems by default.
- C. You set up the Java development environment for a specific operating system when you install the JDK.
- D. Setting up the Java development environment occurs when you install an IDE before the JDK.

Correct Answer: D

Reference: <https://docs.oracle.com/javame/8.1/sdk-dev-guide/install.htm>

QUESTION 5

Given:

```
public class A {  
    private boolean checkValue(int val) {  
        return true;  
    }  
}
```

and

```
public class B extends A {  
    public int modifyVal(int val) {  
        if(checkValue(val)) {  
            return val;  
        } else {  
            return 0;  
        }  
    }  
    public static void Main(String[] args) {  
        B b = new B();  
        System.out.println(b.modifyVal(10));  
    }  
}
```

What is the result?

- A. nothing
- B. It fails to compile.
- C. 0
- D. A java.lang.IllegalArgumentException is thrown.
- E. 10

Correct Answer: B

```
1 - public class A {
2 -     private boolean checkValue(int val) {
3 -         return true;
4 -     }
5 - }
6 - and
7 - public class B extends A {
8 -     public int modifyVal(int val) {
9 -         if(checkValue(val)) {
10 -             return val;
11 -         } else {
12 -             return 0;
13 -         }
14 -     }
15 -     public static void Main(String[] args) {
16 -         B b = new B();
17 -         system.out.println(b.modfiyVal (10));
18 -     }
19 }
```

Execute Mode, Version, Inputs & Arguments

JDK 11.0.4

CommandLine Arguments

Result

CPU Time: sec(s), Memory: kilobyte(s)

```
/A.java:6: error: class, interface, or enum expected
and
^
1 error
```

[Latest 1Z0-815 Dumps](#)

[1Z0-815 PDF Dumps](#)

[1Z0-815 Practice Test](#)