

## 1Z0-815<sup>Q&As</sup>

Java SE 11 Programmer I

**Pass Oracle 1Z0-815 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-815.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

Given:

```
public class Test {  
    private String[] strings;  
}
```

Which two constructors will compile and set the class field strings? (Choose two.)

- A. 

```
public Test(List<String> strings) {  
    this.strings = strings;  
}
```
- B. 

```
public Test(String... strings) {  
    strings = strings;  
}
```
- C. 

```
public Test(String... strings) {  
    this.strings = strings;  
}
```
- D. 

```
public Test(String strings) {  
    strings = strings;  
}
```
- E. 

```
public Test(String[] strings) {  
    this.strings = strings;  
}
```

A. Option A

B. Option B

C. Option C

D. Option D

E. Option E

Correct Answer: AE

---


## QUESTION 2

Given: What is the result?

```
public class Tester {
    public static void main(String[] args) {
        String s = "this is it";
        int x = s.indexOf("is");
        s.substring(x+3);
        x = s.indexOf("is");
        System.out.println(s+" "+x);
    }
}
```

- A. is it 1
- B. An IndexOutOfBoundsException is thrown at runtime.
- C. is it 0
- D. this is it 2
- E. this is it 3

Correct Answer: D



```
Console 1 Console 2
this is it 2
Completed with exit code: 0
```

---

### QUESTION 3

Given:

```
import java.io.FileNotFoundException;
import java.io.IOException;

public class Tester {
    public static void main(String[] args) {
        try {
            doA();
        } //line 1
    }
    private static void doA() throws IOException, IndexOutOfBoundsException {
        if (false) {
            throw new FileNotFoundException();
        } else {
            throw new IndexOutOfBoundsException();
        }
    }
}
```

What must be added in line 1 to compile this class?

- A. `catch(IOException e) {}`
- B. `catch(FileNotFoundException | IndexOutOfBoundsException e) {}`
- C. `catch(FileNotFoundException | IOException e) {}`
- D. `catch(IndexOutOfBoundsException e) {} catch(FileNotFoundException e) {}`
- E. `catch(FileNotFoundException e) {} catch(IndexOutOfBoundsException e) {}`

Correct Answer: C

---

#### QUESTION 4

Given: Which two changes need to be made to make this class compile? (Choose two.)

```
public interface API { //line 1
    public void checkValue(Object value)
        throws IllegalArgumentException; //line 2
    public boolean isValueANumber(Object val) {
        if(val instanceof Number) {
            return true;
        }else {
            try {
                Double.parseDouble(val.toString());
                return true;
            }catch (NumberFormatException ex) {
                return false;
            }
        }
    }
}
```

- A. Change Line 1 to an abstract class: public abstract class API {
- B. Change Line 2 access modifier to protected: protected void checkValue(Object value) throws IllegalArgumentException;
- C. Change Line 1 to a class: public class API {
- D. Change Line 1 to extend java.lang.AutoCloseable: public interface API extends AutoCloseable {
- E. Change Line 2 to an abstract method: public abstract void checkValue(Object value) throws IllegalArgumentException;

Correct Answer: CE

---

## QUESTION 5

Given:

```
package a;
public abstract class Animal {
    protected abstract void walk();
}
package b;
public abstract class Human extends Animal {
    // line 1
}
```

Which two lines inserted in line 1 will allow this code to compile? (Choose two.)

- A. protected void walk(){}
- B. void walk(){}
- C. abstract void walk();
- D. private void walk(){}
- E. public abstract void walk();

Correct Answer: AB

[1Z0-815 PDF Dumps](#)

[1Z0-815 Practice Test](#)

[1Z0-815 Study Guide](#)