

1Z0-815^{Q&As}

Java SE 11 Programmer I

Pass Oracle 1Z0-815 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-815.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Given: What is the result?

```
package A;
class Test {
    String name;
    public Test(String name) {
        this.name = name;
    }
    public String toString() {
        return name;
    }
}
```

and

```
package B;
import A.Test;
public class Main {
    public static void main(String[] args) {
        Test test = new Test("Student");
        System.out.println(test);
    }
}
```

- A. null
- B. nothing
- C. It fails to compile.
- D. java.lang.IllegalAccessException is thrown.
- E. Student

Correct Answer: C

QUESTION 2

Given: Which code, when inserted at one or more marked positions, would allow classes B and C to compile?

```
public interface A {  
    abstract void x();  
}
```

and

```
public abstract class B /* position 1 */ {  
    /* position 2 */  
    public void x() { }  
    public abstract void z();  
}
```

and

```
public class C extends B implements A {  
    /* position 3 */  
}
```

- A. @Override // position 3 void x () {} // position 3 @Override // position 3 public void z() {} // position 3 // position 2
- B. @Override public void z() {} // position 3
- C. implements A // position 1 @Override // position 2
- D. public void z() {} // position 3

Correct Answer: B

QUESTION 3

Given: What is the result?

```
public class Person {
    private String name;
    public Person(String name) {
        this.name = name;
    }
    public String toString() {
        return name;
    }
}
```

and

```
public class Tester {
    public static void main(String[] args) {
        Person p = null;
        checkPerson(p);
        System.out.println(p);
        p = new Person("Mary");
        checkPerson(p);
        System.out.println(p);
    }
    public static Person checkPerson(Person p) {
        if (p == null) {
            p = new Person("Joe");
        }else{
            p = null;
        }
        return p;
    }
}
```

A. Joe Marry

B. Joe null

C. null null

D. null Mary

Correct Answer: D



```
Console 1 * Console 2 * Console 3 *
null
Mary
Completed with exit code: 0
```

QUESTION 4

Given:

```
package b;
public class Person {
    protected Person() { //line 1
    }
}
```

and

```
package a;
import b.Person;
public class Main { //line 2
    public static void main(String[] args) {
        Person person = new Person(); //line 3
    }
}
```

Which two allow a.Main to allocate a new Person? (Choose two.)

- A. In Line 1, change the access modifier to private private Person() {
- B. In Line 1, change the access modifier to public public Person() {
- C. In Line 2, add extends Person to the Main class public class Main extends Person { and change Line 3 to create a new Main object Person person = new Main();
- D. In Line 2, change the access modifier to protected protected class Main {
- E. In Line 1, remove the access modifier Person() {

Correct Answer: CE

QUESTION 5

What makes Java dynamic?

- A. At runtime, classes are loaded as needed, and new code modules can be loaded on demand.
- B. The runtime can process machine language sources as well as executables from different language compilers.
- C. The Java compiler uses reflection to test if class methods are supported by resources of a target platform.
- D. The Java compiler preprocesses classes to run on specific target platforms.

Correct Answer: A

[Latest 1Z0-815 Dumps](#)

[1Z0-815 VCE Dumps](#)

[1Z0-815 Braindumps](#)