

## 1Z0-819<sup>Q&As</sup>

Java SE 11 Developer

**Pass Oracle 1Z0-819 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-819.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Given:

```
public class Main {
    public static void main(String[] args) {
        try (BufferedReader br = new BufferedReader(new InputStreamReader(System.in));) {
            String input = br.readLine();
            System.out.println ("Input String was: " + input);
        } catch (IOException e) {
            e.printStackTrace();
        }
    }
}
```

Which is true?

- A. System.out is the standard output stream. The stream is open only when System.out is called.
- B. System.in cannot reassign the other stream.
- C. System.out is an instance of java.io.OutputStream by default.
- D. System.in is the standard input stream. The stream is already open.

Correct Answer: D

Reference: <https://www.geeksforgeeks.org/java-lang-system-class-java/>

---

**QUESTION 2**

Which three initialization statements are correct? (Choose three.)

- A. `int[][] e = {{1,1,1},{2,2,2}};`
- B. `short sh = (short)'\A\';`
- C. `float x = 1f;`
- D. `byte b = 10; char c = b;`
- E. `String contact# = "(+2) (999) (232)";`
- F. `int x = 12_34;`
- G. `boolean false = (4 != 4);`

Correct Answer: BCF

Reference: <https://www.hudatutorials.com/java/basics/java-arrays/java-short-array>

---

**QUESTION 3**

Given the code fragment:

```
int x = 0;
do {
    x++;
    if (x == 1) {
        continue;
    }
    System.out.println(x);
} while(x < 1);
```

What is the result?

- A. 01
- B. 0
- C. 1
- D. The program prints nothing.
- E. It prints 1 in the infinite loop.

Correct Answer: D

---

**QUESTION 4**

There is a copyServiceAPI that has the org.copyservice. spi. Copy interface To use this service in a module, which module- info.java would be correct?

- A. 

```
module CopyConsumer {
    requires CopyServiceAPI;
    uses org.copyservice.spi.Copy;
}
```
- B. 

```
module CopyConsumer {
    requires transitive org.copyservice.spi.Copy;
}
```
- C. 

```
module CopyConsumer {
    requires org.copyservice.spi.Copy;
}
```
- D. 

```
module CopyConsumer {
    uses CopyServiceAPI;
}
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: C

---

### QUESTION 5

Given:

```
public class Main {
    public static void main(String[] args) {
        String[] furnitures = {"Door", "Window", "Chair"};
        var sb = new StringBuilder();
        for (var i = 0; i < furnitures.length; i++) {
            var index = i + 1;
            sb.append(i)
              .append(" | ")
              .append(furnitures[i].charAt(i))
              .append(", ");
            if (index < furnitures.length) {
                sb.append(" | ");
            }
        }
        sb.delete(sb.length() - 2, sb.length() - 1);
        sb.insert(0, '[').insert(sb.length() - 1, ']');
        System.out.println(sb);
    }
}
```

What is the output of this class?

A. The compilation fails.

B. [0]. D, | 1). i, | 2). a]

C. []. o, | 1). a, | 2).]

D. [0]. o, | 1). i, | 2). r]

E. ArrayIndexOutOfBoundsException is thrown at runtime.

Correct Answer: A