

1Z0-858^{Q&As}

Java Enterprise Edition 5 Web Component Developer Certified
Professional Exam

Pass Oracle 1Z0-858 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-858.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Within the web application deployment descriptor, which defines a valid JNDI environment entry?

- A. java.lang.Booleantrue
- B. param/MyExampleStringThis is an Example
- C. param/MyExampleStringint10
- D. param/MyExampleStringjava.lang.StringThis is an Example

Correct Answer: D

QUESTION 2

Your web page includes a Java SE v1.5 applet with the following declaration:

11.

13.

14.

Which HTTP method is used to retrieve the applet code?

- A. GET
- B. PUT
- C. POST
- D. RETRIEVE

Correct Answer: A

QUESTION 3

A JSP page needs to instantiate a JavaBean to be used by only that page. Which two jsp:useBean attributes must be used to access this attribute in the JSP page? (Choose two.)

- A. id
- B. type

C. name

D. class

E. scope

F. create

Correct Answer: AD

QUESTION 4

What is true about Java EE authentication mechanisms?

A. If your deployment descriptor correctly declares an authentication type of CLIENT_CERT, your users must have a certificate from an official source before they can use your application.

B. If your deployment descriptor correctly declares an authentication type of BASIC, the container automatically requests a user name and password whenever a user starts a new session.

C. If you want your web application to support the widest possible array of browsers, and you want to perform authentication, the best choice of Java EE authentication mechanisms is DIGEST.

D. To use Java EE FORM authentication, you must declare two HTML files in your deployment descriptor, and you must use a predefined action in the HTML file that handles your user's login.

Correct Answer: D

QUESTION 5

Given an HttpSession session, a ServletRequest request, and a ServletContext context, which retrieves a URL to /WEB-INF/myconfig.xml within a web application?

A. session.getResource("/WEB-INF/myconfig.xml")

B. request.getResource("/WEB-INF/myconfig.xml")

C. context.getResource("/WEB-INF/myconfig.xml")

D. getClass().getResource("/WEB-INF/myconfig.xml")

Correct Answer: C

[1Z0-858 PDF Dumps](#)

[1Z0-858 VCE Dumps](#)

[1Z0-858 Exam Questions](#)