

1Z0-860^{Q&As}

Java Enterprise Edition 5 Business Component Developer Certified Professional Exam

Pass Oracle 1Z0-860 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-860.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

The Java Persistence API defines a notion of propagation of a persistence context. Which statement is correct?

- A. Persistence context propagation is NOT supported for message-driven beans.
- B. Persistence context propagation is supported for any type of an entity manager.
- C. Persistence context propagation avoids the need for the application to pass references of entity manager instances.
- D. Persistence context propagation results in cloning of all managed instances for use by another instance of an entity manager.

Correct Answer: C

QUESTION 2

The execution of the find method in the following code throws an exception:

11.

```
em.find(Customer.class, custId);
```

12.

//Where em is a reference to a extended scoped entity manager. Which scenario can cause the exception?

- A. The find method was called without a transaction.
- B. The entity corresponding to the requested primary key has been removed.
- C. The entity corresponding to the requested primary key has been detached.
- D. The data type of custId is NOT a valid type for the Customer entity primary key.

Correct Answer: D

QUESTION 3

Given the following entity class:

11.

```
@Entity public class Customer)
```

12.

@Id private int id;

13.

private transient String name;

14.

private Java. math. BigDecimal grossAmmount; 15.} Which mapping annotation can be added to the fields of this entity?

- A. @Column to the name field
- B. @EmbeddedId to the id field
- C. @Basic to the grossAmmount field
- D. @JoinColumn to the grossAmmount field

Correct Answer: C

QUESTION 4

Given a stateless session bean with container-managed transaction demarcation, from which two methods can a developer access another enterprise bean? (Choose two.)

- A. bean constructor
- B. Timeout callback method
- C. PreDestroy lifecycle callback method
- D. PostConstruct lifecycle callback method
- E. business method from the business interface

Correct Answer: BE

QUESTION 5

Given:

A stateless session bean's business method invokes `EJBContext.setRollbackOnly` and receives an `IllegalStateException`. Under which of these conditions could this be possible?

- A. The business method is marked with the `MANDATORY` transaction attribute.
- B. The business method is marked with the `NONSUPPORTED` transaction attribute.
- C. This is NOT possible; a stateless session bean cannot invoke `EJBContext.setRollbackOnly`.

D. The bean has no metadata (in annotations or deployment descriptor) which specifies the transaction attribute for the method.

Correct Answer: B

[Latest 1Z0-860 Dumps](#)

[1Z0-860 Study Guide](#)

[1Z0-860 Braindumps](#)