

## 1Z0-860<sup>Q&As</sup>

Java Enterprise Edition 5 Business Component Developer Certified Professional Exam

### Pass Oracle 1Z0-860 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-860.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



## QUESTION 1

Given:

11.

```
@PersistenceContext EntityManager em;
```

12.

```
public boolean test(Order o) {
```

13.

```
boolean b = false;
```

14.

```
o = em.merge(o); 15 em.remove(o);
```

16.

```
o = em.merge(o);
```

17.

```
b = em.contains(o);
```

18.

```
return b;
```

19.}

Which statement is correct?

- A. The method will return TRUE.
- B. The method will return FALSE.
- C. The method will throw an exception.
- D. The Order instance will be removed from the database.

Correct Answer: C

---

## QUESTION 2

Which statement is true about the Timer service in an EJB 3.0 stateless session bean?

- A. The timeout callback method contains the business logic that handles the timeout event.
- B. The timeout callback method must be declared as a business method in business interfaces.

- C. The timeout callback method can throw application exceptions to report business logic failures.
- D. A bean class can implement multiple timeout callback methods, each associated with a different timer.

Correct Answer: A

---

### QUESTION 3

Bean A is using bean-managed transaction demarcation and has invoked the foo method of bean B. When the foo method returns, bean A needs to determine if the transaction has been set to rollback. Which must be true?

- A. It is NOT possible for bean A to determine if the transaction has been set to rollback.
- B. Bean A must invoke the getStatus method on the UserTransaction that it began.
- C. For this to be possible, bean B must also use bean-managed transaction demarcation.
- D. Bean A must invoke the setRollbackOnly method on the UserTransaction that it began.
- E. Bean A must invoke the getRollbackOnly method on the UserTransaction that it began.

Correct Answer: B

---

### QUESTION 4

Which is a valid PostConstruct method in a message-driven bean class?

- A. `@PostConstruct public boolean initQ {return true; }`
- B. `@PostConstruct private static void init0 {}`
- C. `@PostConstruct private void init0 {}`
- D. `@PostConstruct public static void initQ {}`

Correct Answer: C

---

### QUESTION 5

A CMT session bean named MrBean is annotated as follows :

21.

```
@Stateless(name="MrBean")
```

22.

```
@TransactionAttribute0"ransactionAttributeType.NOT_SUPPORTED)
```

23.

```
public class MrBean {
```

24.

```
public void storeStuffQ {}
```

25.

There are no transaction annotations at the method level. Given the following snippet of an ejb-jar.xml:

23.

24.

25.

```
MrBean
```

26.

```
storeStuff
```

27.

28.

```
Mandatory
```

29.

Which statement is correct about the business methods in MrBean?

A. All methods have transactionattributeREQUIRED.

B. All methodshavetransaction attributeMANDATORY.

C. All methodshavetransaction attribute NONSUPPORTED.

D. Methods with name store Stuff have transaction attributeMANDATORYand all other methods have transaction attribute REQUIRED.

E. MethodswithnamestoreStuffhavetransaction attribute MANDATORY andall othermethods have transaction attribute NONSUPPORTED.

F. Methodswithname store Stuff haveatransaction attribute REQUIRED andallother methods have transaction attribute NOT SUPPORTED.

Correct Answer: E

[Latest 1Z0-860 Dumps](#)

[1Z0-860 PDF Dumps](#)

[1Z0-860 VCE Dumps](#)