

1Z0-882^{Q&As}

MySQL 5.6 Developer

Pass Oracle 1Z0-882 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-882.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which three statement types can be prepared?

- A. LOAD DATA INFILE
- B. CREATE TABLE
- C. CREATE VIEW
- D. ALTER VIEW
- E. CALL

Correct Answer: AB

QUESTION 2

Identity two ways to configure a PHP application to use the UTF8 character set.

- A. `mysqli: :query ('\\SET NAMES utf8\\');`
- B. `mysqli : :set_charset ('utf8\\')`
- C. `spdo = new PDO ('\\mysql:host=localhost;dbname=test;charset=utf8\\', user\\', '\\pass\\');`
- D. `PDO: :set_charset('\\'utf8\\')`

Correct Answer: B

QUESTION 3

Which three statements describe valid reasons why queries that use "SELECT" construct are discouraged?

- A. SELECT * may cause more data than you need to be read from disk if your application needs only some columns.
- B. SELECT * causes more data than you need to be sent via the client/server protocol if your application needs only some columns.
- C. SELECT * prevents the use of indexes, so a full table scan for every query.
- D. SELECT * causes your application to depend on the columns present when you wrote it , so your application could break if the table structure changes.
- E. SELECT * causes the statements to return all rows from the table.

Correct Answer: DE

QUESTION 4

You execute this EXPLAIN statement for a SELECT statement on the table named comics which contains 1183 rows:

mysql> explain select comic_title, publisher from comics where comic_title like `and Actionand`;

```
id | select_type | table | type | possible_keys | key | key_len | ref | rows | Extra
---+-----+-----+-----+-----+-----+-----+-----+-----+-----
1 | SIMPLE      | comics | ALL  | NULL          | NULL | NULL    | NULL | 1183 | Using where
```

1 row in set (0.00 sec)

You create the following index:

CREATE INDEX comic_title_idx ON comics (comic_title, publisher); You run the same EXPLAIN statement again;

mysql > explain select comic_title ,publisher from comics where comic_title like `and Actionand`;

```
id | select_type | table | type | possible_keys | key | key_len | ref | rows | Extra
---+-----+-----+-----+-----+-----+-----+-----+-----+-----
1 | SIMPLE      | comics | index | NULL          | comic_title_idx | 114    | NULL | 1183 | Using where; Using index
```

1 row in the second SELECT statement need to read all 1183 rows in the index comic_title_idx?

- A. Because comic_title is not the primary key
- B. Because a LIKE statement always requires a full tables scan
- C. Because comic_title is part of a covering index
- D. Because a wildcard character is at the beginning of the search word

Correct Answer: B

QUESTION 5

Which three connector/J connection strings can be used to connect to the MYSQL server?

- A. jdbc:mysql://localhost/test?user =xxxandpassword=xxx
- B. jdbc :mysql://localhost/test?user=xxxandpassword=xxx
- C. jdbc :mysql:replication://master,slave1.slave2. /test?user=xxxandpassword=xxx
- D. jdbc:mysql:proxy://localhost/test?user=xxxandpassword=xxx
- E. jdbc :mysql:loadbalance://master.slave1,slave2/test?user=xxxandpassword=xxx

Correct Answer: ACE

[1Z0-882 VCE Dumps](#)

[1Z0-882 Practice Test](#)

[1Z0-882 Braindumps](#)