

1Z0-883^{Q&As}

MySQL 5.6 Database Administrator

Pass Oracle 1Z0-883 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-883.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

You have a login-path named "adamlocal" that was created by using the `mysql_config_editor` command.

You need to check what is defined for this `login_path` to ensure that it is correct for you deployment.

You execute this command:

```
$ mysql_config_editor print login-path=adamlocal
```

What is the expected output of this command?

- A. The command prints all parameters for the login-path. The password is printed in plain text.
- B. The command prints all parameters for the login-path. The password is shown only when you provide the password option.
- C. The command prints all parameter for the login-path. The password is replaced with stars.
- D. The command prints the encrypted entry for the login-path. The is only possible to see if an entry exists.

Correct Answer: C

QUESTION 2

What are three methods to reduce Mysql server exposure to remote connections?

- A. Setting `-- skip-networking` when remote connections are not required
- B. Using the `sql_mode=STRICT_SECURE` after connections are established for encrypted communications
- C. Setting specific GRANT privilege to limit remote authentication
- D. Setting `mysql_secure_configuration` to enable paranoid mode
- E. Using SSL when transporting data over remote networks

Correct Answer: BCD

QUESTION 3

The InnoDB engine has a feature known as clustered indexes.

Which three statements are true about clustered indexes as used in InnoDB?

- A. A primary key must exist for creation of a clustered index.
- B. A primary key is used as a clustered index.
- C. A clustered index is a grouping of indexes from different tables into a global index for faster searching.

- D. If no indexes exist, a hidden clustered index is generated based on row IDs.
- E. A clustered index provides direct access to a page containing row data.
- F. The first unique index is always used as a clustered index and not a primary key.
- G. A clustered index allows fulltext searching within InnoDB,

Correct Answer: BDG

QUESTION 4

Consider the Mysql Enterprise Audit plugin.

Which statement is true when you identify a connection event that has used external authentication?

- A. The attribute "STATUS" is set to the string EXTERNAL_AUTH.
- B. The attribute "PRIV_USER" contains the username.
- C. The event type that is given in the attribute "NAME" is EXTERNAL_AUTH.
- D. There is no differentiation between native and external authentication events.
- E. External authentication is managed through external auditing logs.
- F. The "PROXY_PRIV" user shows a username if external authentication is used.

Correct Answer: C

QUESTION 5

Which statement is true about the log-output variable?

- A. It is a static variable and can be set only at MySQL server startup.
- B. It enables and starts the General Query Log.
- C. It sets the target location for the binary logs generated by the MySQL sever.
- D. It specifies output destinations for the slow and General Query logs.

Correct Answer: D

[Latest 1Z0-883 Dumps](#)

[1Z0-883 PDF Dumps](#)

[1Z0-883 Study Guide](#)