

1Z0-888^{Q&As}

MySQL 5.7 Database Administrator

Pass Oracle 1Z0-888 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-888.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

You are using the mysqldumpslow utility to view the contents of the slow query log.

You notice the letter N and the character string `S\` in a number of locations in the output.

What does the N indicate?

- A. the number of times the statement was executed
- B. an abbreviation for NULL in a statement
- C. the name of the user issuing the statement
- D. an abstracted substitution for numbers indicated in WHERE clauses

Correct Answer: A

Reference: <https://dev.mysql.com/doc/refman/5.7/en/mysqldumpslow.html>

QUESTION 2

Consider the two partial outputs of the SHOW GLOBAL VARIABLES command from a master and slave

server:

Master:

Variable name	Value
connect_timeout	5
log_bin	ON
max_connections	100
shared_memory_base_name	MYSQL
server_id	2
tmp_table_size	5242880
version	5.7.20

Slave: There is a problem with the slave replicating from the master. Which statement describes the cause of the

problem?

Variable name	Value
connect_timeout	5
log_bin	OFF
max_connections	10
shared_memory_base_name	MYSQL5
server_id	2
tmp_table_size	4266336
version	5.7.22

- A. The log_bin variable is set to OFF on the slave.
- B. server_id is not unique.
- C. The max_connections variable on the slave needs to be increased.
- D. The shared_memory_base_name variable must match the master.
- E. The version of the slave is newer than the version of the master.

Correct Answer: A

QUESTION 3

You have successfully provisioned the latest MySQL 5.7 database instance on a physical host, to be added to an existing farm for use in a modern, high volume, ACID-compliant, OLTP website, which serves hundreds of DML transactions per second.

The default values of which two key variables do you change to ensure seamless operation of the database? (Choose two.)

- A. Key Buffer Size
- B. InnoDB Redo Log Size
- C. Binary Log Size
- D. Buffer Pool Size

E. Sort Buffer size

F. Query Cache Size

Correct Answer: AE

QUESTION 4

Assuming that a user has correct privileges, which Linux console command will fail to shut down a MySQL server?

A. `mysqld -e '\\shutdown\\'`

B. `service mysqld stop`

C. `mysqladmin shutdown`

D. `mysql -e '\\shutdown\\'`

Correct Answer: A

QUESTION 5

The MySQL instance is a default RPM installation on a Linux server. Where are the errors written?

A. in the `/var/lib/mysql/hostname.log` file

B. no logging enabled by default

C. in the `/var/log/mysqld.err` file

D. in the syslog daemon on the server

Correct Answer: C

are set to the file `/var/log/mysql/error.log`

Reference: <https://support.plesk.com/hc/en-us/articles/115004039393-Unable-to-start-mysql-var-logmysql-error-log-Permission-denied>

[1Z0-888 Practice Test](#)

[1Z0-888 Exam Questions](#)

[1Z0-888 Braindumps](#)