



# 1Z0-897<sup>Q&As</sup>

Java EE 6 Web Services Developer Certified Expert

**Pass Oracle 1Z0-897 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/1Z0-897.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

An engineer is creating a WSDL 1.1 document, and is having difficulty with the wsdl:messages section.

Which two statements are true about wsdl:messages in a WSDL 1.1 document? (Choose two.)

- A. Both type and element attributes can be used on the same wsdl:part.
- B. Both type and element attributes can be used on the same wsdl:binding.
- C. The type and element attributes cannot be used on the same wsdl:part.
- D. The type and element attributes cannot be used on the same wsdl:binding.
- E. Document-style messaging allows the type attribute.
- F. Document-style messaging allows the element attribute.

Correct Answer: CF

---

### QUESTION 2

A developer is creating a web service endpoint using a stateless session EJB for the business logic of an application. Choose two methods to select role based access control for the business logic ? (Choose two)

- A. Using method-permission element in ejb-jar.xml
- B. Using .htaccess file in the application\`s ear
- C. Using element in web.xml
- D. By specifying security annotations like @RolesAllowed in the EJB class

Correct Answer: AD

---

### QUESTION 3

Which of the following is NOT true about configuring handlers on a Web Service endpoint? (Choose one)

- A. EE container automatically processes the handlers packaged in the application and configures it on the applicable endpoint
- B. Handlers can be configured using @HandlerChain annotation on endpoints configured with @WebService
- C. Handlers can be configured using @HandlerChain annotation on endpoints configured with @WebServiceProvider
- D. Handlers can be configured for endpoints in the deployment descriptor (webservices.xml)

Correct Answer: A

---



#### QUESTION 4

What does the element in the following set of XML statements do:

```
<handler-chains xmlns="http://java.sun.com/xml/ns/javaee">  
  <handler-chain>  
    <service-name-pattern xmlns:ns1="http://example.com/handlers">ns1:Hello*</service-name-pattern>  
    <handler/>  
    <handler/>  
  </handler-chain>  
</handler-chains>
```



- A. Applies the handlers specified in the element to all the services with targetNamespace http://example.com/handlers.
- B. Applies the handlers specified in the element to all services whose name is Hello\*.
- C. Applies the handlers specified in the element to all services whose names begin with Hello.
- D. Applies the handlers in the specified in the element to the service whose name begins with Hello and targetNamespace is http://example.com/handlers.

Correct Answer: D

#### QUESTION 5

An airline built and deployed a back-end application to manage reservations. To support interoperability with as large a base of standalone client applications as possible, the services provided by this back-end application are exposed as XML-based restful web services. Management just added a new requirement that AJAX-based web application clients be supported, too. One of the developers suggested that it is enough to extend the existing application to support both XML-based and JSON-based restful web services. Assuming the developer is correct, choose the sentence that best describes an attempt to introduce this ability as this developer suggests (Choose one):

- A. The attempt will fail, because JAX-RS does not support both XML- and JSON- based restful services in parallel.
- B. The attempt will be trivial to implement, since JAX-RS just needs for the application to specify that both XML- and JSON-based interaction will be supported.
- C. The attempt can succeed, but it will require a significant amount of new code, since JAX-RS does support both XML- and JSON-based interaction - but not single resource can support both kinds of interaction simultaneously.
- D. The attempt will fail, because there is more to the difference between XML-based and JSON- based interactions than just the data representation used.

Correct Answer: B



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

100% Guaranteed Success  
100% Money Back Guarantee  
365 Days Free Update  
Instant Download After Purchase  
24x7 Customer Support  
Average 99.9% Success Rate  
More than 800,000 Satisfied Customers Worldwide  
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.lead4pass.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.  
To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.  
All trademarks are the property of their respective owners.  
Copyright © lead4pass, All Rights Reserved.