

1Z0-900^{Q&As}

Java EE 7 Application Developer

Pass Oracle 1Z0-900 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-900.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

You need to load on-hand balances for go live. Which template should be used for this?

- A. InventoryBalanceImportTemplate.xlsm
- B. InventoryReservationImportTemplate.xlsm
- C. InventoryTransactionImportTemplate.xlsm
- D. InventoryOnHandBalanceTemplate.xlsm
- E. InventoryMiscellaneousTrxTemplate.xlsm

Correct Answer: C

QUESTION 2

Your customer has two warehouses (Inventory organizations) located in two different regions. They have a consigned agreement in place with the supplier. Your customer requests that whenever consumption advice is created, it should be created separately for each inventory organization.

What setup is required to achieve this requirement?

- A. Set Consumption Advice Summary in Consignment Agreement to "Organization\."
- B. Set Consumption Advice Summary in Consignment Agreement to "All Organizations with items".
- C. This cannot be achieved because only one common consumption advice is created regardless of other parameters.
- D. Set Consumption Advice Summary in Consignment Agreement to "All Organizations".

Correct Answer: A

QUESTION 3

Given an HttpServletRequest request and an EJB SessionContext ctx.

Which is a valid way to retrieve the Principal invoking either behavior?

- A. request.getCallerPrincipal() and ctx.getCallerPrincipal()
- B. request.getUserPrincipal() and ctx.getUserPrincipal()
- C. request.getCallerPrincipal() and ctx.getUserPrincipal()
- D. request.getUserPrincipal() and ctx.getCallerPrincipal()

Correct Answer: A

QUESTION 4

Your customer wants you to restrict the values of Receivables Transaction Type for their three business units. You created three reference data sets for each business unit. However, the user is still able to see the values in the Transaction Type list of values which are not defined in the business unit data set.

What is the reason for this behavior?

- A. The user is seeing the values defined in the common set. The values should be removed from the common set.
- B. Receivables Transaction Types are common across business units.
- C. Reference Data Sets cannot be used uniquely across business units. They can only be used at the Legal Entity level.
- D. The user has multiple Business Unit Roles and, therefore, is able to see additional values.

Correct Answer: A

QUESTION 5

During Cloud Inventory implementation your customer requires you to enable the Oracle Transactional Business Intelligence (OTBI) KPI to review the list of standard reports which is useful for their current business scenario. When navigating to reports and analytics, the warehouse dashboard doesn't show any KPI watchlist.

Identify two causes. (Choose two.)

- A. Logistics Business Intelligence Analytics is enabled.
- B. Logistics Business Intelligence Analytics is not implemented.
- C. Organization is not enabled for warehousing.
- D. Data permissions for the organization being referenced are not set up.
- E. Supply Chain and Order Management Business Intelligence Analytics is not enabled.

Correct Answer: BE

[1Z0-900 PDF Dumps](#)

[1Z0-900 VCE Dumps](#)

[1Z0-900 Study Guide](#)