

1Z0-908^{Q&As}

MySQL 8.0 Database Administrator

Pass Oracle 1Z0-908 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-908.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Examine this command, which executes successfully:

```
$ mysqlrouter --bootstrap user@hostname:port --directory=directory_path
```

Which activity is performed?

- A. MySQL Router is configured based on the information in files in directory_path.
- B. MySQL Router configures itself based on the information retrieved from the InnoDB cluster metadata server.
- C. MySQL Router is restarted.
- D. MySQL Router configures all the cluster nodes based on the information retrieved from the InnoDB cluster metadata server.

Correct Answer: B

Reference: <https://dev.mysql.com/doc/mysql-router/8.0/en/mysqlrouter.html>

QUESTION 2

Examine these statements, which execute successfully: TRUNCATE test; BEGIN;

```
INSERT INTO test(id, name) VALUES(1, "Hello"); ROLLBACK;
```

```
SELECT id FROM test;
```

Which three storage engines would return a nonempty recordset for the test table when executing the statements? (Choose three.)

- A. NDB
- B. ARCHIVE
- C. InnopB
- D. BLACKHOLE
- E. MEMORY
- F. MyISAM

Correct Answer: ADF

Reference: <https://dev.mysql.com/doc/refman/5.6/en/blackhole-storage-engine.html>

QUESTION 3

Which two are true about binary logs used in asynchronous replication? (Choose two.)

- A. They are pushed from the master to the slave.
- B. They contain events that describe database changes on the master.
- C. They contain events that describe all queries run on the master.
- D. They contain events that describe only administrative commands run on the master.
- E. They are pulled from the master to the slave.

Correct Answer: AB

Reference: <https://www.oracle.com/technetwork/community/developer-day/mysql-replication-presentation-485890.pdf>
(14)

QUESTION 4

You have replication configured, which consists of one master and one slave on different hosts with an asynchronous replication channel between them. Your goal is to decrease the amount of data that is transferred between these two hosts.

It is confirmed that the slave instance does not need to have data from the example database.

Which replication filter contributes to your goal?

- A. on slave: --replicate-wild-ignore=example.%
- B. on slave: --replicate-ignore-db=example
- C. on master: --replicate-ignore-db=example
- D. on master: --binlog-ignore-db=example
- E. on slave: --binlog-ignore-db=example

Correct Answer: C

QUESTION 5

You have semi-synchronous replication configured and working with one slave. `rpl_semi_sync_master_timeout` has never been reached.

You find that the disk system on the master has failed and as a result, the data on the master is completely unrecoverable. Which two statements are true? (Choose two.)

- A. No committed transactions are lost.
- B. The slave automatically identifies that the master is unreachable and performs any required actions so that applications can start using the slave as the new master.
- C. As soon as the incident happens, application can read data from the slave and rely on it to return a full and current set of data.

D. Reads from the slave can return outdated data until the value of the `rpl_semi_sync_master_timeout` variable is reached.

E. Reads from the slave can return outdated data for some time, until it applies all transactions from its relay log.

F. A small amount of committed transactions may be lost in case they were committed just before the disk failure.

Correct Answer: BF

[Latest 1Z0-908 Dumps](#)

[1Z0-908 PDF Dumps](#)

[1Z0-908 Braindumps](#)