

1Z0-932^{Q&As}

Oracle Cloud Infrastructure 2018 Architect Associate

Pass Oracle 1Z0-932 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-932.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which two statements are true about encryption on Oracle Cloud Infrastructure (OCI)? (Choose two.)

- A. By default, Object Storage and Block Storage are encrypted at rest.
- B. A customer is responsible for data encryption in all services of OCI.
- C. By default, DBCS offers an encrypted database.
- D. By default, NVMe drives are encrypted but the block volume service is not.

Correct Answer: AC

Reference: <https://cloud.oracle.com/storage/object-storage/features>

QUESTION 2

You have five different company locations spread across the US. For a proof-of-concept (POC) you need to setup secure and encrypted connectivity to your workloads running in a single virtual cloud network (VCN) in the Oracle Cloud Infrastructure Ashburn region from all company locations.

What would meet this requirement?

- A. Create five internet gateways in your VCN and have separate route table for each internet gateway.
- B. Create five virtual circuits using FastConnect for each company location and terminate those connections on a single dynamic routing gateway (DRG). Attach that DRG to your VCN.
- C. Create five IPsec connections with each company location and terminate those connections on a single DRG. Attach that DRG to your VCN.
- D. Create five IPsec VPN connections with each company location and terminate those connections on five separate DRGs. Attach those DRGs to your VCN.

Correct Answer: C

QUESTION 3

Which service would you use if your big data workload required shared access and NFS-based connectivity?

- A. block volume
- B. archive storage
- C. object storage
- D. file storage

Correct Answer: D

Reference: https://cloud.oracle.com/en_US/storage/file-storage/faq

QUESTION 4

Your company has decided to move a few applications to Oracle Cloud Infrastructure (OCI) and you have been asked to design a cloud-based disaster recovery (DR) solution. One of the requirements is to deploy the DR resources at least 300 miles from the home OCI region and minimize the network latency. What will be the recommended deployment?

- A. Deploy production and DR applications in the same VCN. Create production subnets in one AD, and DR subnets in another AD.
- B. Deploy production and DR applications in two separate VCNs in different availability domains (ADs) within your home region, and then use a VCN remote peering connection for connectivity.
- C. Deploy production and DR applications in two separate VCNs, each in different regions. Connect them using a VCN remote peering connection.
- D. Deploy production and DR applications in two separate virtual cloud networks (VCNs), each in different regions, and then use VCN local peering gateways for connectivity.

Correct Answer: B

QUESTION 5

Which three components can you configure in Oracle Infrastructure Identity and Access Management? (Choose three.)

- A. Groups
- B. Users
- C. Instances
- D. Policies
- E. VCNs

Correct Answer: ABD

Reference: <https://cloud.oracle.com/governance/identity/faq>

[1Z0-932 Practice Test](#)

[1Z0-932 Exam Questions](#)

[1Z0-932 Braindumps](#)