

1Z0-934^{Q&As}

Oracle Cloud Platform Application Integration 2018 Associate

Pass Oracle 1Z0-934 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-934.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

When a connection is in edit mode and the browser crashes, the connection becomes locked, which then prevents it from being edited.

Which two users can unlock the connection?

- A. a user with the Designer Role
- B. the same user who has edited the connection
- C. any user
- D. a user with the Administrator Role

Correct Answer: BD

Reference: <https://docs.oracle.com/en/cloud/paas/integration-cloud/integrations-user/using-integrationsoracle-autonomous-integration-cloud.pdf> (66)

QUESTION 2

Which three are characteristics of Device Virtualization?

- A. Oracle Internet of Things (IoT) Cloud Service does not support Device Virtualization.
- B. You can monitor each device endpoint's health, performance, and location via the client software library API, or with REST calls made to those devices.
- C. You can collect data from your devices using APIs delivered with Oracle Internet of Things (IoT) Cloud Service Client Software Libraries or Oracle IoT Cloud Service Gateway.
- D. The APIs provided enable you to send telemetry messages and device data from your devices to Oracle Internet of Things (IoT) Cloud Service, control your devices, and deploy applications to your gateway devices.
- E. Devices used are not real. They are virtual devices and linked with Oracle Internet of Things (IoT) CS.

Correct Answer: BCD

Reference: <http://www.otechtalks.tv/an-introduction-to-oracle-internet-of-things/>

QUESTION 3

Which REST API can be used for registering a device as third party device?

- A. CREATE /iot/api/v2/private/partners
- B. POST /iot/api/v2/private/partners
- C. REGISTER /iot/api/v2/private/partners

D. PUT /iot/api/v2/private/partners

E. GET /iot/api/v2/private/partners

Correct Answer: B

QUESTION 4

Which Enterprise Application System can be integrated with Oracle Internet of Things (IoT) Cloud Service?

A. any system capable of receiving HTTP connection or making HTTP requests

B. only systems which are deployed on Windows or Unix platform

C. a system which exposes REST Service

D. a system which exposes WSDL

Correct Answer: C

Reference: <https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/developing-applications-oracle-internetthings-cloud-service.pdf>

QUESTION 5

Which expression can you use to schedule integration runs?

A. a XPATH

B. an iCal

C. a JavaScript

D. a XSLT

Correct Answer: B

Reference: <https://docs.oracle.com/en/cloud/paas/integration-cloud-service/icsug/creating-scheduledintegrations.html#GUID-622B74FE-D9EC-4A62-8DF1-1E96912C8FB8>

[Latest 1Z0-934 Dumps](#)

[1Z0-934 PDF Dumps](#)

[1Z0-934 VCE Dumps](#)