

## 1Z0-996-21<sup>Q&As</sup>

Oracle Utilities Customer Cloud Service 2021 Implementation Essentials

### Pass Oracle 1Z0-996-21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-996-21.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



## QUESTION 1

When creating a new business object for a service point (SP), what items are required to be able to view and update the new elements associated with the SP?

- A. Maintenance Object, Application Service, and Schema
- B. Schema, Validation Algorithm, and Maintenance UI Map
- C. Display UI Map, Display Map Service Script, and Maintenance UI Map
- D. Validation Algorithm, Post Processing Algorithm, and Lifecycle

Correct Answer: A

---

## QUESTION 2

Your client has three requirements:

1.

Apply validations on meter reads coming from the Data Collectors.

2.

If a meter read does not pass the validation, an error will be generated and assigned to a user.

3.

Retry the validation every 30 minutes for the errors in case the issue is related to configuration. Which statement describes the base functions you should use?

- A. If a To Do entry is created on the VEE exception, the IMD's Next Retry Date/Time is set to 30 minutes, and then processed by the algorithm D1-COMP-TD (Complete To Do Entries).
- B. If a To Do entry is created on the VEE exception, the IMD's Next Retry Date/Time is set to 30 minutes, and then processed by the algorithm D1-IMD-RETRY (Retry Initial Measurement Data Processing)
- C. If a To Do entry is created on the VEE exception, the user will need to discard the IMD and a new IMD will be loaded after 30 minutes.
- D. If a To Do entry is created on the VEE exception, the IMD's Next Retry Date/Time is set to 30 minutes, and then processed by the algorithm D1-CRE-IMDTD (Create To Do)
- E. If a To Do entry is created on the VEE exception, the user will need to discard the IMD and a new IMD will be manually loaded.

Correct Answer: D

---

## QUESTION 3

Usage transactions can contain date breaks. Which is used to supply date breaks?

- A. the Deferred Monitor Calculation Algorithm
- B. the Usage Subscription Type
- C. the requesting system or user input
- D. the Usage Subscription BO

Correct Answer: B

---

#### QUESTION 4

Which configuration steps are required to derive loss-adjusted kWh on a measuring component based on a loss factor value related to a service point?

- A. Configure a Service Point Characteristic Type and derivation algorithm, and then associate the algorithm to the Measuring Component Type and the characteristic value to the service point.
- B. Configure an SQI and the derivation algorithm, and then associate the algorithm to the Measuring Component Type and SQI to the service point.
- C. Configure a factor and derivation algorithm, and then associate the factor to the Measuring Component Type and the derivation algorithm to the service point.
- D. Configure a factor and derivation algorithm, and then associate both to the Measuring Component Type and service point.
- E. Configure a Service Point Characteristic Type, factor, derivation algorithm, and Service Quantity Identifier (SQI), and then associate the SQI and derivation algorithm to the Measuring Component Type and the characteristic value to the service point.

Correct Answer: B

---

#### QUESTION 5

Your implementation requires an installation of two types of devices:

1.  
Electric Smart Meter
2.  
Gas Manual Meter

Which two Device Type attributes are required to identify these device types? (Choose two.)

- A. Device Business Object
- B. Service Type

C. Valid Measuring Component Types

D. Manufacturer

E. Serial Number

Correct Answer: BC

[1Z0-996-21 PDF Dumps](#)

[1Z0-996-21 Practice Test](#)

[1Z0-996-21 Braindumps](#)