200-125^{Q&As}

Cisco Certified Network Associate

Pass Cisco 200-125 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.lead4pass.com/200-125.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Which mode are in PAgP? (Choose two)

A. Auto

B. Desirable

C. Active

D. Passive

E. On

Correct Answer: AB

QUESTION 2

which two statements about vtp are true ?

A. all switches must be configured with the same VTP domain name

B. all switches must be configured with a unique vtp domain name

C. all switches must be configured to perform trunk negotiation

D. all switches must use the same VTP Version

E. The VTP Server must have the highest revision number in the domain

Correct Answer: AD

QUESTION 3

What are the alert messages generated by SNMP agents called?

A. INFORM

B. GET

C. SET

Correct Answer: AB

A TRAP is a SNMP message sent from one application to another (which is typically on a remote host). Their purpose is merely to notify the other application that something has happened, has been noticed, etc. The big problem with TRAPs is that they\\'re unacknowledged so you don\\'t actually know if the remote application received your oh-so- important message to it. SNMPv2 PDUs fixed this by introducing the notion of an INFORM, which is nothing more than an acknowledged TRAP.

QUESTION 4

Which destination IP address can a host use to send one message to multiple devices across different subnets?

A. 172.20.1.0

B. 127.0.0.1

C. 192.168.0.119

D. 239.255.0.1

Correct Answer: D

Explanation: Multicast is a networking protocol where one host can send a message to a special multicast IP address and one or more network devices can listen for and receive those messages.

Multicast works by taking advantage of the existing IPv4 networking infrastructure, and it does so in something of a weird fashion. As you read, keep in mind that things are a little confusing because multicast was "shoe-horned" in to an

existing technology. For the rest of this article, let\\'s use the multicast IP address of 239.255.0.1. We\\'ll not worry about port numbers yet, but make a mental note that they are used in multicast. We\\'ll discuss that later.

QUESTION 5

Which type of attack can be mitigated by configuring the default native vlan to be unused ?

A. swich spoofing

B. cam table overflow

C. vlan hopping

D. MAC spoofing

Correct Answer: C

[200-125 VCE Dumps](#)   [200-125 Practice Test](#)   [200-125 Exam Questions](#)

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: