

200-401^{Q&As}

Managing Industrial Networks with Cisco Networking Technologies
(IMINS)

Pass Cisco 200-401 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/200-401.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What are two recommended tools or commands that allow you to troubleshoot connectivity between two devices in different IP networks? (Choose two.)

- A. show interface status
- B. show spanning-tree
- C. ping
- D. show interfaces gigabitEthernet x/y switchport
- E. traceroute
- F. show interface

Correct Answer: CE

QUESTION 2

At which Layer would you use trace route to validate the path?

- A. Layer 1
- B. Layer 2
- C. Layer 3
- D. Layer 4

Correct Answer: C

QUESTION 3

Which two ports does EtherNet/IP use to communicate? (Choose two.)

- A. TCP 44818
- B. UDP 44818
- C. TCP 502
- D. UDP 502
- E. TCP 2222
- F. UDP 2222

Correct Answer: AF

QUESTION 4


At which Layer would you troubleshoot a cabling issue?

- A. Layer 1
- B. Layer 2
- C. Layer 3
- D. Layer 4

Correct Answer: A

QUESTION 5

Exhibit:



Refer to the exhibit. Host 3 on Network A is sending data to Host 8 on Network B. Which address is the default gateway of Host 3?

- A. the address of the switch interface that is connected to router interface Fa0/0
- B. the address of the switch interface that is connected to router interface Fa0/1
- C. the address of the host that is connected to Network A
- D. the address of the host that is connected to Network B
- E. the address of the router interface Fa0/0
- F. the address of the router interface Fa0/1

Correct Answer: E

[Latest 200-401 Dumps](#)

[200-401 VCE Dumps](#)

[200-401 Brindumps](#)