

## 200-710<sup>Q&As</sup>

Zend Certified Engineer

### Pass Zend-Technologies 200-710 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/200-710.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Zend-Technologies Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

What is the benefit of using persistent database connections in PHP? (Choose two.)

- A. Reduces the connection and authentication overhead of connecting to the database
- B. Ensures that only a single connection is open to the database from PHP
- C. Allows connection settings such as character set encoding to persist
- D. Allows for resumption of transactions across multiple requests.

Correct Answer: CD

---

**QUESTION 2**

What is the name of the header used to require HTTP authentication?

- A. Authorization-Required
- B. WWW-Authenticate
- C. HTTP-Authenticate
- D. Authentication-Required
- E. HTTP-Auth

Correct Answer: B

---

**QUESTION 3**

Consider the following table data and PHP code. What is the outcome? Table data (table name "users" with primary key "id"):

id	name	email
1	anna	alpha@example.com
2	betty	beta@example.org
3	clara	gamma@example.net
5	sue	sigma@example.info

PHP code (assume the PDO connection is correctly established):

```
$dsn = 'mysql:host=localhost;dbname=exam';
```

```
$user = 'username';
```

```
$pass = '\\*****\\';  
$pdo = new PDO($dsn, $user, $pass);  
$cmd = "SELECT * FROM users WHERE id = :id";  
$stmt = $pdo->prepare($cmd);  
$id = 3;  
$stmt->bindParam('\\id\\', $id);  
$stmt->execute();  
$stmt->bindColumn(3, $result);  
$row = $stmt->fetch(PDO::FETCH_BOUND);
```

- A. The database will return no rows.
- B. The value of \$row will be an array.
- C. The value of \$result will be empty.
- D. The value of \$result will be '\\gamma@example.net\\'.

Correct Answer: D

---

#### QUESTION 4

How can the id attribute of the 2nd baz element from the XML string below be retrieved from the SimpleXML object found inside \$xml?

One

Two

- A. `$xml->getElementById('\\2\\');`
- B. `$xml->foo->bar->baz[2][\\id\\]`
- C. `$xml->foo->baz[2][\\id\\]`
- D. `$xml->foo->bar->baz[1][\\id\\]`

E. \$xml->bar->baz[1][\id\]

Correct Answer: E

---

## QUESTION 5

Which of these error types may be handled by a user defined error handler function? (Choose two.)

A. E\_ERROR

B. E\_NOTICE

C. E\_PARSE

D. E\_WARNING

Correct Answer: AC

[200-710 PDF Dumps](#)

[200-710 VCE Dumps](#)

[200-710 Exam Questions](#)