

201-01^{Q&As}

Riverbed Certified Solutions Associate - Network Performance Management

Pass Riverbed 201-01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/201-01.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Riverbed Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

For Cascade Profiler, Where can a user customize which recipients (SMTP and/or SNMP) are alerted when different severity events from different policies are triggered?

- A. In UI preferences
- B. In behavior analysis - policies
- C. In behavior analysis - notifications
- D. In behaviors analysis - events
- E. In configuration - general settings

Correct Answer: C

QUESTION 2

How can Cascade Profiler help with a server virtualization project?

- A. Cascade can measure CPU utilization and memory use. It can correlate this data with bandwidth collected via flow protocols.
- B. In a virtualization projects, the key is to identify Assets service applications and Application Dependencies. Using Cascade you can run reports on underutilized servers, server /application dependences, and have an inventory of your assets and how they are used.
- C. In a virtualization project it is important to understand which processes are running on a server that are not being used. Cascade can identify these processes automatically.
- D. All of the above.

Correct Answer: B

QUESTION 3

In configuring a router to send NetFlow to Cascade, an important point to consider is:

- A. Ensuring the interface of the Cascade Profiler is on the same subnet as the router, as NetFlow is not routable.
- B. Using the "tcp/(n) + 1" port numbering scheme to ensure this router's NetFlow is unique from all other routers.
- C. Ensuring the router has IP connectivity to the Cascade Gateway.
- D. Ensuring the interface of the Cascade Gateway is on the same subnet as the router, as NetFlow is not routable.
- E. Using the "udp/(n) + 1" port numbering scheme to ensure this router's NetFlow is unique from all other routers.

Correct Answer: C

QUESTION 4

Once the Cascade Shark appliance has an initial configuration with an IP Address set to 10.1.1.1 you can connect to it from a web browser using the URL:

- A. <http://10.1.1.1>
- B. <https://10.1.1.1>
- C. <https://10.1.1.1:443>
- D. <https://10.1.1.1:8080>
- E. <http://10.1.1.1:8080>

Correct Answer: D

QUESTION 5

In order to work with live traffic on the Cascade Shark from Cascade Pilot:

- A. You MUST connect to the Cascade Shark through its web interface, export packets to a packet capture (pcap) file, then from within Cascade Pilot you can open the pcap file.
- B. You MUST use a Cascade Gateway to view packet data on Cascade Shark.
- C. You MUST use a Cascade Profiler to view packet data on Cascade Shark.
- D. You can simply connect to the Cascade Shark appliance directly from Cascade Pilot provided that proper network communication is available between Cascade Pilot and Cascade Shark.
- E. You can simply connect to the Cascade Shark appliance directly from Cascade Pilot provided that a capture job has already been configured from the Cascade Shark Web Interface and proper network communication is available.

Correct Answer: D

[Latest 201-01 Dumps](#)

[201-01 Study Guide](#)

[201-01 Exam Questions](#)