

201-450^{Q&As}

LPIC-2 Exam 201 Part 1 of 2 version 4.5

Pass Lpi 201-450 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/201-450.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What is the purpose of a system mount unit?

- A. It is used by the command `systemd-mount` and allows users to mount partitions to mount points of their choice
- B. It is used only to mount network file systems to local mount points. It cannot be used for local media
- C. It is created by the command `systemd-fstab-generator` to integrate entries from `/etc/fstab` into the system boot process
- D. It is used by the command `mount` when using `system` to mount and unmount file systems

Correct Answer: A

QUESTION 2

A network client has an ethernet interface (`eth0`) configured with an IP address in the subnet `192.168.0.0/24`. This subnet has a router, with the IP address `192.168.0.1`, that connects this subnet to the Internet. What needs to be done on the client to enable it to use the router as its default gateway? (Choose TWO correct answers.)

- A. `route add default gw 192.168.0.1 eth0`
- B. `ifconfig eth0 defaultroute 192.168.0.1`
- C. `ip route add default via 192.168.0.1 dev eth0`
- D. `echo defaultroute 192.168.0.1 >> /etc/resolv.conf`
- E. `route add defaultgw=192.168.0.1 if=eth0`

Correct Answer: AC

QUESTION 3

Which of the following init systems comes along with an own UEFI boot loader?

- A. `systemd`
- B. `SysVinit`
- C. `Upstart`
- D. `OpenRC`
- E. `launchd`

Correct Answer: A

QUESTION 4

The correct command sequence to create and mount logical volumes on a Linux system is:

- A. lvcreate, pvcreate, vgcreate, mkfs, mount
- B. pvcreate, vgcreate, lvcreate, mkfs, mount
- C. vgcreate, lvcreate, pvcreate, mount, mkfs
- D. mkfs, pvcreate, vgcreate, lvcreate, mount
- E. pvcreate, lvcreate, vgcreate, mkfs, mount

Correct Answer: B

QUESTION 5

Under which of the following circumstances would the command ping output the string (DUP!)?

- A. When the ICMP packets are sent to a broadcast address and multiple hosts respond.
- B. When the host being sent ICMP packets is on a different network.
- C. When the router responds to the ICMP packet in addition to the host receiving the ICMP packets.
- D. When the host sending the ICMP packet is the same host as the one receiving the ICMP packets.

Correct Answer: A

[Latest 201-450 Dumps](#)

[201-450 Study Guide](#)

[201-450 Exam Questions](#)