

## 201-450<sup>Q&As</sup>

LPIC-2 Exam 201 Part 1 of 2 version 4.5

### Pass Lpi 201-450 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/201-450.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



## QUESTION 1

The following is an excerpt from the output of `tcpdump -nli eth1 \'\udp\':`

```
13:03:17.277327 IP 192.168.123.5.1065 > 192.168.5.112.53: 43653+ A? lpi.org. (25)
```

```
13:03:17.598624 IP 192.168.5.112.53 > 192.168.123.5.1065: 43653 1/0/0 A 198.51.100.42 (41)
```

Which network service or protocol was used?

- A. FTP
- B. HTTP
- C. SSH
- D. DNS
- E. DHCP

Correct Answer: D

---

## QUESTION 2

In order to gather performance data with `sar` over a longer period of time, which command should be run periodically from `cron`?

- A. `sa1`
- B. `sarmon`
- C. `sarec`
- D. `sadf`
- E. `sarcron`

Correct Answer: A

---

## QUESTION 3

A network client has an ethernet interface (`eth0`) configured with an IP address in the subnet `192.168.0.0/24`. This subnet has a router, with the IP address `192.168.0.1`, that connects this subnet to the Internet. What needs to be done on the client to enable it to use the router as its default gateway? (Choose TWO correct answers.)

- A. `route add default gw 192.168.0.1 eth0`
- B. `ifconfig eth0 defaultroute 192.168.0.1`

- C. ip route add default via 192.168.0.1 dev eth0
- D. echo defaultroute 192.168.0.1 >> /etc/resolv.conf
- E. route add defaultgw=192.168.0.1 if=eth0

Correct Answer: AC

---

#### QUESTION 4

What happens if the Linux kernel can't mount the root filesystem when booting?

- A. An error message is shown and the administrator is asked by the kernel to specify a valid root filesystem to continue the boot process.
- B. An error message is shown and the system reboots after a keypress.
- C. An error message is shown and the system boots in maintenance mode.
- D. An error message is shown showing which device couldn't be mounted or informing that init couldn't be found.
- E. An error message is shown stating that the corresponding kernel module couldn't be loaded.

Correct Answer: D

---

#### QUESTION 5

When is historical data of resource usage important? (Select THREE correct answers.)

- A. Predicting when resources will need to be increased.
- B. Selecting a computer vendor.
- C. Identifying processes killed during out of memory occurrences.
- D. Diagnosing capacity problems.
- E. Troubleshooting a software problem.

Correct Answer: ADE

[201-450 Practice Test](#)

[201-450 Exam Questions](#)

[201-450 Braindumps](#)