

210-010^{Q&As}

VCE Vblock™ Systems Deployment and Implementation - Core Exam

Pass VCE 210-010 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/210-010.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VCE Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

You are assigned to deploy a new host in a Vblock System, with block storage attached. Which type of zoning would be performed on the Cisco 9148 switch to accomplish this task?

- A. port zoning
- B. WWPN zoning
- C. symbolic node name zoning
- D. WWNN zoning

Correct Answer: B

QUESTION 2

You are required to setup the network interface on a Vblock System 320 storage array, which is used for file level access.

In which mode should the interface be configured?

- A. fail safe networking
- B. link aggregation
- C. Ethernet channel
- D. network trunking

Correct Answer: B

QUESTION 3

What is the requirement for adding VLANs to port channels for disjointed Layer 2 networks in a Cisco UCS?

- A. VLANs must be explicitly assigned to an uplink.
- B. VLANs should not be explicitly assigned to an uplink.
- C. VLAN traffic must be allowed to travel over all uplinks.
- D. VLANs must be assigned in the 301-400 range.

Correct Answer: A

QUESTION 4

A Vblock System 720 has been configured in the factory according to the VCE Logical Build Guide. Which statement is

correct?

- A. Each service-profile should have at least one vNIC pinned to fabric interconnect A; one vNIC pinned to fabric interconnect B, and failover enabled.
- B. Each service-profile should have at least one vNIC pinned to fabric interconnect A; one vNIC pinned to fabric interconnect B, and failover disabled.
- C. Each service-profile should have at least one vHBA pinned to fabric interconnect A; one vHBA pinned to fabric interconnect B, and failover enabled.
- D. Each service-profile should have at least one vHBA pinned to fabric interconnect A; one vHBA pinned to fabric interconnect B, and failover disabled.

Correct Answer: B

QUESTION 5

You have just deployed a new ESXi host in a Vblock System 320 and only have TCP/IP available for storage access.

Which protocol would be used for data store access?

- A. NFS
- B. CIFS
- C. iSCSI
- D. FCP

Correct Answer: A

[210-010 VCE Dumps](#)

[210-010 Study Guide](#)

[210-010 Exam Questions](#)