250-253^{Q&As}

Administration of Veritas Cluster Server 6.0 for Unix

Pass Symantec 250-253 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/250-253.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Symantec Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

Leads4Pass

800,000+ Satisfied Customers



Leads4Pass

QUESTION 1

Which product can replace a confidential document residing on a public share with a Marker File explaining why the document was removed?

- A. Network Prevent
- **B. Network Protect**
- C. Network Monitor
- D. Network Discover
- Correct Answer: B

QUESTION 2

A system administrator can see basic incident data, but is unable to view any of the specific details of the incidents that are created.

How is the role configured?

A. The View option is selected, but Display Attributes are deselected.


- B. The Edit option is deselected in the General tab.
- C. Status and custom attributes are selected, but set to Edit.
- D. Conditions are configured in the Incident Access tab.


Correct Answer: A


QUESTION 3

Refer to the exhibit.

https://www.leads4pass.com/250-253.html 2024 Latest leads4pass 250-253 PDF and VCE dumps Download







On which node will the websg service group start if all nodes are powered on and come online at the same time?

A. sym1

B. sym2

C. sym3

D. sym4

Correct Answer: B

Leads4Pass

QUESTION 4

The service group named websg is currently online on the sym3 node. All other nodes are running.

Consider the following partial main.cf definition:

Group websg (

SystemList = { sym1=0, sym2=1, sym3=2 }

AutoStartList = {sym2, sym3 }

FailOverPolicy = Priority

Leads4Pass

)

The operator incorrectly shuts down a critical resource in the websg service group outside of Veritas

Cluster Server.

Based on the information provided, what will happen to the websg service group?

- A. It will remain partially online on the sym3 node.
- B. It will switch to the sym1 node.
- C. It will switch to the sym2 node.
- D. It will restart on sym3 node.

Correct Answer: B

QUESTION 5

GAB can be configured to automatically seed the cluster through I/O fencing, even when some cluster nodes are unavailable.

In which file does the autoseed_gab_timeout parameter need to be configured to enable this feature?

A. gabtab

- B. main.cf
- C. vxfenmode
- D. vxfentab
- Correct Answer: C

Latest 250-253 Dumps

250-253 VCE Dumps

250-253 Study Guide