

250-253^{Q&As}

Administration of Veritas Cluster Server 6.0 for Unix

Pass Symantec 250-253 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/250-253.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Symantec
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

An installed cluster has been licensed with the keyless licensing option. The administrator has yet to configure the cluster to be managed by Veritas Operations Manager (VOM).

What will happen when 60 days have passed since installation?

- A. The cluster will shut down.
- B. The cluster will log messages related to licensing.
- C. The cluster will ignore licensing.
- D. The cluster will cease to respond if a resource faults.

Correct Answer: B

QUESTION 2

A policy manager wants to apply policies only to certain employees with a specific classification level. Which TrueMatch detection method can help accomplish this?

- A. Directory Group Matching (DGM)
- B. Exact Data Matching (EDM)
- C. Described Content Matching (DCM)
- D. Indexed Document Matching (IDM)

Correct Answer: A

QUESTION 3

The websg service group is online on node sym1. The dbsg service group is online on node sym2. No fencing is configured. One of the two heartbeat links has been down for 30 minutes. The cable is unplugged from the last working heartbeat link.

What will happen to the dbsg service group?

- A. It will also start on sym1.
- B. It will migrate to sym1.
- C. It will go to a FAULTED state.
- D. It will remain on sym2.

Correct Answer: D

QUESTION 4

Which two are default behaviors of Veritas Cluster Server service groups? (Select two.)

- A. Migrate service groups from a system on intentional system shutdown
- B. Start the service groups in lexical order
- C. AutoDisable the service groups on cluster startup
- D. AutoDisable the service groups on a system when all low priority links fail
- E. Start the service groups in the order of the attribute SystemList

Correct Answer: AC

QUESTION 5

A resource of type Application is configured to be monitored by the Intelligent Monitoring Framework.

Which resource attribute should be exclusively configured in order to enable the Proactive Prevention of Concurrency feature for the resource of type Application?

- A. PidFiles
- B. MonitorProgram
- C. MonitorProcesses
- D. StartProgram

Correct Answer: C

[250-253 Practice Test](#)

[250-253 Exam Questions](#)

[250-253 Braindumps](#)