2V0-21.20^{Q&As}

Professional VMware vSphere 7.x

Pass VMware 2V0-21.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/2v0-21-20.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

An administrator is asked to take a snapshot of a virtual machine prior to an application upgrade. The virtual machine has one standard virtual machine disk (VMDK) and one physical mode raw device mapping (RDM) attached.

Which statement is true with regard to taking this snapshot? (Choose the best answer.)

A. The administrator will be unable to snapshot the RDM.

B. The administrator will be able to snapshot the standard VMDK in independent persistent mode.

C. The administrator will be able to snapshot the RDM in independent persistent mode.

D. The administrator will be able to snapshot both disks.

Correct Answer: D

QUESTION 2

Which two VMware features are supported in a virtual machine using Intel Software Guard Extensions (Intel SGX) technology? (Choose two.)

A. Fault tolerance

B. vSphere vMotion

C. VM encryption

D. Virtual machine suspend and resume

E. Storage I/O Control

Correct Answer: CE

Reference:

https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.hostclient.doc/GUID-
C8EBF77CF21E-4C28-ABC6-8E3337341DD2.html

QUESTION 3

An administrator identifies a snapshot file named "Win10-000001-sesparse.vmdk" on a datastore. Which type of information can be determined about this datastore? (Choose the best answer.)

A. The datastore is formatted as VMFS3.

B. The datastore is formatted as VMFS6.

C. The datastore is a raw device mapping.

D. The datastore is a vSAN datastore.

Correct Answer: B

Reference: https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.storage.doc/GUID88E5A594-DEBC-4662-812F-EA421591C70F.html

---

QUESTION 4

An administrator is deploying a vCenter Server Appliance and wants to join an existing vCenter Single Sign-On domain.

The administrator gathers the following information:

1.

FQDN of the vCenter Single Sign-On server to join

2.

Domain name of the vCenter Single Sign-On server being joined

3.

Password of the vCenter Single Sign-On server administrator account.

What other information is needed to join the existing vCenter Single Sign-On domain? (Choose the best answer.)

A. vSphere Client port

B. Lightweight Directory Access Protocol (LDAP) port

C. Single Sign-On (SSO) port

D. HTTPS port

Correct Answer: A

QUESTION 5

Refer to the exhibit.

```
9:04:41am up 5 min, 637 worlds, 4 VMs, 6 vCPUs; CPU load average: 0.33, 0.09, 0.00
PCPU USED (%):  89    90    95    97 AVG:  92
PCPU UTIL (%):  88    89    94    96 AVG:  92

   ID    GID NAME            NWLD  %USED  %RUN  %SYS  %WAIT   %VMWAIT  %RDY   %IDLE  %OVRLP %CSTP %MLMTD %SWPWT
    8      8 helper           294   0.00 400.00 0.00 28784.56   -    400.00  0.00  400.00 0.00  0.00   0.00
    1      1 system           152   1.35  31.90 0.15 14796.04   -    373.34  0.00    0.29 0.00  0.00  41.54
14865  14865 Linux2             7  73.32  74.45 0.07  582.88  0.32   50.48  0.11    0.20 0.00  0.00   0.00
14873  14873 Win1               9 115.74 116.08 0.00  743.07 16.52   45.26 23.51    0.36 5.66  0.00   0.00
14881  14881 Win2               9 104.23 104.40 0.00  759.42 16.44   43.60 41.62    0.35 2.63  0.00   0.00
14895  14895 Linux1             7  67.84  69.86 0.00  605.51  0.00   32.46  0.00    0.08 0.00  0.00   0.00
 5485   5485 hostd.66720       21   2.30   2.30 0.00 2100.00   -      2.16  0.00    0.00 0.00  0.00   0.00
 5233   5233 rhttpproxy.6668   14   0.29   0.30 0.01 1400.00   -      0.93  0.00    0.00 0.00  0.00   0.00
    9      9 drivers           12   0.00   0.00 0.00 1200.00   -      0.21  0.00    0.00 0.00  0.00   0.00
   10     10 ft                 4   0.00   0.00 0.00  399.89   -      0.20  0.00    0.00 0.00  0.00   0.00
 1012   1012 vmsyslogd.65822    3   0.13   0.14 0.00  300.00   -      0.16  0.00    0.00 0.00  0.00   0.00
14857  14857 esxtop.68027       1   2.78   3.89 0.00   97.10   -      0.13  0.00    0.00 0.00  0.00   0.00
14777  14777 sshd.68017         1   0.07   0.07 0.00  100.00   -      0.07  0.00    0.00 0.00  0.00   0.00
```

What does the %RDY for the Win1 virtual machine indicate? (Choose the best answer.)

A. High CPU wait time

B. Low CPU usage

C. High CPU contention

D. Low CPU contention

Correct Answer: C

Reference:

https://communities.vmware.com/thread/463542

[Latest 2V0-21.20 Dumps](#)   [2V0-21.20 PDF Dumps](#)   [2V0-21.20 VCE Dumps](#)