2V0-41.20^{Q&As}

Professional VMware NSX-T Data Center

Pass VMware 2V0-41.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/2v0-41-20.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

A customer has a network where BGP has been enabled and the BGP neighbor is configured on the Tier-0 Gateway. A NSX-T Data Center administrator used the get logical-routers command to retrieve this information: Which two commands must be executed to check BGP neighbor status? (Choose two.)

```
sa-nsxedge-01> get logical-routers

Logical Router

UUID                                      VRF       LR-ID        Name
 Type

Ports

736a80e3-23f6-5a2d-81d6-bbefb2786666      0         0
TUNNEL                            3

B10ef54e-d5f3-49e5-99b7-8a51366d0592      1         1025         SR-T1-LR-01
SERVICE_ROUTER_TIER1             8

5a5ddd63-3764-4d28-b82e-ee4c964a0dfd      3         2049         SR-T0-LR-01
SERVICE_ROUTER_TIER0            6

0E0784db-511f-fa72-ae0b-1ccaa0262ad2      4         7            DR-T0-LR-01
DISTRIBUTED_ROUTER_TIER0        4
```

A. vrf 3

B. vrf 1

C. vrf 4

D. sa-nsxedge-01(tier1_sr)> get bgp neighbor

E. sa-nsxedge-01(tier0_sr)> get bgp neighbor

F. sa-nsxedge-01(tier0_dr)> get bgp neighbor

Correct Answer: AE

QUESTION 2

Which CLI command is used to disable SSH timeout on NSX Manger and NSX Edge nodes?

A. set cli ssh timeout 0

B. set esxcli ssh session off

C. set cli-timeout 0

D. nsxcli ssh session on

Correct Answer: C

QUESTION 3

A security administrator needs to configure a firewall rule based on the domain name of a specific application.

Which field in a distributed firewall rule does the administrator configure?

A. Profile

B. Source

C. Service

D. Policy

Correct Answer: A

QUESTION 4

A company is deploying a NSX-T Data Center micro-segmentation in their vSphere environment to secure a simple application composed of web, app, and database tiers.

The naming convention will be:

1.

WKS-WEB-SRV-XXX

2.

WKY-APP-SRR-XXX

3.

WKI-DB-SRR-XXX

What is the optimal way to group them in order to enforce security policies from NSX-T Data Center?

A. Create an Ethernet based security policy.

B. Group all by means of tags membership.

C. Use Edge as a firewall between tiers.

D. Do a service insertion to accomplish the task.

Correct Answer: B

QUESTION 5

What are two supported N-VDS modes? (Choose two.)

A. DPDK Datapath

B. Overlay Datapath

C. Secure Datapath

D. Enhanced Datapath

E. Standard Datapath

Correct Answer: DE

https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/installation/GUID-37BC3CEF-DCC1-4C6F960D-CFBB31908D1C.html

Latest 2V0-41.20 Dumps   2V0-41.20 VCE Dumps   2V0-41.20 Exam Questions