

2V0-602^{Q&As}

VMware vSphere 6.5 Foundations

Pass VMware 2V0-602 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/2v0-602.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

When is it possible to place a VMFS5 datastore in maintenance mode?

- A. When it is a member of a Storage DRS cluster
- B. When it is a member of Virtual SAN cluster
- C. When it is a member of a multi-extent datastore
- D. When it is a member of a Virtual Volume

Correct Answer: A

QUESTION 2

A vSphere Administrator recently upgraded to vSphere .6.5 and wants to assign more than 4 TB of RAM to the virtual machine.

What must happen first?

- A. Make sure that the user account has administrative privileges at a global level.
- B. Upgrade the Virtual Machine compatibility to version 13.
- C. Obtain an ESXi server with an Intel Skylake CPU.
- D. Make sure that there are no snapshots present on the virtual machine.

Correct Answer: B

QUESTION 3

What are two valid iSCSI discovery methods? (Choose two.)

- A. Assigned Discovery
- B. Automatic Discovery
- C. Static Discovery
- D. LUN Masking
- E. Dynamic Discovery

Correct Answer: CE

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.storage.doc/GUID->

66215AF32D81-4D1F-92D4-B9623FC1CB0E.html

QUESTION 4

Which three factors should an Administrator take into account when determining the required VDP appliance size and number of appliances? (Choose three.)

- A. retention periods (daily, weekly, monthly, yearly)
- B. VMs guest OS family and version
- C. typical change rate
- D. Number and type (database, file system) of VMs

Correct Answer: ACD

QUESTION 5

An administrator is unable to remove an ESXi 6.x host from a vSphere Distributed Switch. What are two likely reasons for this issue? (Choose two.)

- A. Vmkernel interfaces on the switch are still in use.
- B. VM Network port group adapters are connected to different switch.
- C. Physical NICs are migrated to different switch.
- D. VM Network adapters are connected to this switch.

Correct Answer: AD

[Latest 2V0-602 Dumps](#)

[2V0-602 VCE Dumps](#)

[2V0-602 Study Guide](#)