

## 2V0-72.22<sup>Q&As</sup>

Professional Develop VMware Spring

### Pass VMware 2V0-72.22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/2v0-72-22.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which two use cases can be addressed by the method level security annotation `@PreAuthorize`? (Choose two.)

- A. Allow access to a method based on user identity.
- B. Allow access to a method based on the returned object.
- C. Allow access to a method based on HTTP method.
- D. Allow access to a method based on request URL.
- E. Allow access to a method based on roles.

Correct Answer: CE

Reference: <https://docs.spring.io/spring-security/site/docs/5.2.11.RELEASE/reference/html/authorization.html>

---

**QUESTION 2**

Which two statements are true about Spring Boot and Spring Data JPA? (Choose two.)

- A. `@EntityScan` and `spring.jpa.*` properties can be used to customize Spring Data JPA.
- B. Any kind of Hibernate property can be passed to Spring Data JPA like `spring.jpa.properties.xxx`.
- C. Spring Data JPA is the only implementation for relational databases.
- D. Scanning of JPA Entities can not be customized, the whole classpath is scanned.
- E. Embedded Databases (H2, HSQLDB, Derby) are not re-created during the startup.

Correct Answer: CE

Reference: <https://docs.spring.io/spring-boot/docs/1.5.14.RELEASE/reference/html/boot-features-sql.html>

---

**QUESTION 3**

Which two statements are true regarding a Spring Boot-based Spring MVC application? (Choose two.)

- A. The default embedded servlet container can be replaced with Undertow.
- B. Jetty is the default servlet container.
- C. Spring Boot starts up an embedded servlet container by default.
- D. The default port of the embedded servlet container is 8088.
- E. Spring MVC starts up an in-memory database by default.

Correct Answer: BC

Reference: <https://www.javatpoint.com/spring-vs-spring-boot-vs-spring-mvc>

---

## QUESTION 4

Refer to the exhibit.

```
clientService service = applicationContext.getBean (ClientService.class);
```

It is a Java code fragment from a Spring application. Which statement is true with regard to the above example? (Choose the best answer.)

- A. This syntax is invalid because the result of the getBean() method call should be cast to ClientService.
- B. It will return a bean called ClientService regardless of its id or name.
- C. This syntax is invalid because the bean id must be specified as a method parameter.
- D. It will return a bean of the type ClientService regardless of its id or name.

Correct Answer: D

---

## QUESTION 5

Which two statements about the @Autowired annotation are true? (Choose two.)

- A. @Autowired fields are injected after any config methods are invoked.
- B. Multiple arguments can be injected into a single method using @Autowired.
- C. By default, if a dependency cannot be satisfied with @Autowired, Spring throws a RuntimeException.
- D. If @Autowired is used on a class, field injection is automatically performed for all dependencies.
- E. @Autowired can be used to inject references into BeanPostProcessor and BeanFactoryPostProcessor.

Correct Answer: BE

[Latest 2V0-72.22 Dumps](#)

[2V0-72.22 VCE Dumps](#)

[2V0-72.22 Braindumps](#)