

2V0-72.22^{Q&As}

Professional Develop VMware Spring

Pass VMware 2V0-72.22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/2v0-72-22.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which two statements are correct regarding the Health Indicator status? (Choose two.)

- A. The last status in a sorted list of HealthIndicators is used to derive the final system health.
- B. The status with the least severity is used as the top-level status.
- C. Custom status values can be created.
- D. The built-in status values are DOWN, OUT_OF_SERVICE, UNKNOWN, and UP in decreasing order of severity.
- E. The severity order cannot be changed due to security reasons.

Correct Answer: CD

Reference: <https://docs.spring.io/spring-boot/docs/1.5.x/reference/html/production-ready-endpoints.html>

QUESTION 2

Refer to the exhibit.

```
@Configuration
public class MyConfig {
    @Bean
    public AccountRepository accountRepository() {
        return new JdbcAccountRepository() ;
    }
    @Bean
    public TransferService transferService() {
        TransferServiceImpl service = new TransferServiceImpl() ;
        service.setAccountRepository(accountRepository());
        return service;
    }
    @Bean
    public AccountService accountService() {
        return new AccountServiceImpl(accountRepository());
    }
}
```

Based on the default Spring behavior, choose the correct answer. (Choose the best answer.)

- A. One AccountRepository bean will be instantiated since the default scope is singleton.
- B. Three AccountRepository beans will be instantiated as the accountRepository() method will be called three times.
- C. Many AccountRepository beans will be instantiated, depending how often accountRepository(), transferService() and accountService() are called.

D. Two AccountRepository beans will be instantiated as the accountRepository() method will be called two times.

Correct Answer: C

QUESTION 3

Which two statements are true regarding storing user details in Spring Security? (Choose two.)

- A. With a custom UserDetailsService defined in the ApplicationContext, Spring Boot still creates the default user.
- B. Passwords must be hashed and the default hashing algorithm is MD5.
- C. User details can be stored in custom storage and retrieve them by implementing the UserDetailsService interface.
- D. User details can be stored in a database, in LDAP, or in-memory.
- E. The user details includes username and password but not authorities.

Correct Answer: AE

QUESTION 4

Which three types of objects can be returned from a JdbcTemplate query? (Choose three.)

- A. Generic MapS
- B. Simple types (int, long, String, etc)
- C. JSONObject
- D. User defined types
- E. Properties
- F. XMLObject

Correct Answer: BDE

QUESTION 5

Which two statements are correct regarding Spring Boot auto-configuration? (Choose two.)

- A. Auto-configuration uses @Conditional annotations to constrain when it should apply.
- B. Auto-configuration could apply when a bean is missing but not when a bean is present.
- C. Auto-configuration is applied by processing candidates listed in META-INF/spring.factories.
- D. Auto-configuration could apply when a bean is present but not when a bean is missing.

E. Auto-configuration is applied before user-defined beans have been registered.

Correct Answer: DE

[Latest 2V0-72.22 Dumps](#)

[2V0-72.22 PDF Dumps](#)

[2V0-72.22 Practice Test](#)