

300-175^{Q&As}

Cisco Data Center Unified Computing

Pass Cisco 300-175 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.lead4pass.com/300-175.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.lead4pass.com/300-175.html

2021 Latest lead4pass 300-175 PDF and VCE dumps Download

QUESTION 1

Which three components perform the port extension functions for a Cisco UCS domain? (Choose three.)

- A. the multiprotocol port on the Cisco storage
- B. the Device Manager in Cisco Prime Data Center Network Manager
- C. the Cisco UCS 2208XP IOMs
- D. the Cisco UCS Manager
- E. the Cisco Nexus 2232PP FEX
- F. the Cisco UCS VIC adapter that has VM-FEX and Adapter FEX technology

Correct Answer: ACD

QUESTION 2

Which option can you secure by using a keyring certificate in Cisco UCS Manager?

- A. Console management Access
- B. Server link connections
- C. HTTPS management Access
- D. Uplink connections

Correct Answer: C

QUESTION 3

A network administrator has configured all required settings for the Smart Call Home feature in Cisco UCS. What must be done next?

- A. Open a TAC case to verify contract information and start the registration process.
- $\ensuremath{\mathsf{B}}.$ Generate a fault to initiate a message that will start the registration process.
- C. The system automatically starts the registration process and no further action is required.
- D. Send a system inventory message to start the registration process.

Correct Answer: D

QUESTION 4

https://www.lead4pass.com/300-175.html

2021 Latest lead4pass 300-175 PDF and VCE dumps Download

Which options is the only supported link aggregation protocol on Cisco UCS Manager?

- A. Multipath B. PagP
- C. FLOGI
- D. LACP
- E. FCOE

Correct Answer: D

https://www.cisco.com/c/en/us/support/docs/servers-unified-computing/ucs-manager/116095-configure-ucs-upstream-port-channel-00.html

UCS port channel configuration is statically set to Link Aggregation Control Protocol (LACP) mode active. This configuration cannot be modified; therefore, all upstream port-channel configurations must adhere to LACP mode active as well. Alternatively, you can configure the upstream switchports for LACP mode passive.

QUESTION 5

Refer to the exhibit. You need to configure a Fibre Channel device alias named TEST for a device that is attached to port fc 1/9 of a Cisco Nexus Series switch in a Cisco UCS system. Which command set should you use?

INTERFACE	VSAN	FCID	PORT NAME	NODE NAME
£c1/3	100	0%650000	50:00:14:42:00:00:45:00	50:00:14:40:47:a0:0e:E5
fc1/4	100	0x6b0200	50:00:14:42:c0:0c:f5:01	50:00:14:40:47:a0:0c:f5
fc1/5	100	0x6b0300	50:00:14:42:d0:0c:f5:00	50:00:14:40:47:b0:0c:f5
fc1/6	100	0x6b0100	50:00:14:42:d0:0c:f5:01	50:00:14:40:47:b0:0c:f5
fc1/7	50	0x550000	50:00:14:42:c0:0c:f5:20	50:00:14:40:47:a0:0c:f5
fc1/8	50	0x550100	50:00:14:42:c0:0c:f5:21	50:00:14:40:47:a0:0c:f5
fc1/9	50	0x550200	50:00:14:42:d0:0c:f5:20	50:00:14:40:47:b0:0c:f5
fc1/10	50	0x550300	50:00:14:42:d0:0e:f5:21	50:00:14:40:47:b0:0c:f5
fc1/11	100	0x6b0400	20:20:54:7f:ee:fa:de:c0	20:64:54:7f:ee:fa:de:cl
fc1/11	100	0x6b0401	20:00:00:25:b5:00:01:02	20:00:00:25:b5:00:00:01
fc1/11	100	0x6b0402	20:00:00:25:b5:00:01:00	20:00:00:25:55:00:00:00
fc1/11	100	0x6b0403	20:00:00:25:b5:00:01:03	20:00:00:25:65:00:00:01
fc1/11	100	0x6b0404	20:00:00:25:b5:00:01:01	20:00:00:25:b5:00:00:00

A. SITE-A-MDS-Fabric-A# configure terminal SITE-A-MDS-Fabric-A (config)# device-alias database SITE-A-MDS-Fabric-A (config-device-alias-db)# device-alias name TEST pwwn 50:00:14:42:d0:0 c:f5:20 SITE-A-MDS-Fabric-A (config-device-alias-db)# exit

- B. SITE-A-MDS-Fabric-A# configure terminal SITE-A-MDS-Fabric-A (config)# device-alias database SITE-A-MDS-Fabric-A (config-device-alias-db)# device-alias name TEST pwwn 50:00:14:40:47:b0:0 c:f5 SITE-A-MDS-Fabric-A (config-device-alias-db)# device-alias commit
- C. SITE-A-MDS-Fabric-A# configure terminal SITE-A-MDS-Fabric-A (config)# device-alias database SITE-A-MDS-Fabric-A (config-device-alias-db)# device-alias name TEST pwwn 50:00:14:42:d0:0 c:f5:20 SITE-A-MDS-Fabric-A (config-device-alias-db)# device-alias commit
- D. SITE-A-MDS-Fabric-A# device-alias database SITE-A-MDS-Fabric-A (config-device-alias-db)# device-alias name TEST pwwn 50:00:14:40:47:b0:0 c:f5 SITE-A-MDS-Fabric-A (config-device-alias-db)# device-alias commit



https://www.lead4pass.com/300-175.html

2021 Latest lead4pass 300-175 PDF and VCE dumps Download

Correct Answer: C

https://www.cisco.com/c/en/us/td/docs/switches/datacenter/mds9000/sw/4_1/configuration/guides/cli_4_1/clibook/ddas. html https://community.emc.com/thread/170991?start=0andtstart=0 We need to zone the PWWN (port WWN) of fc1/9, not the NWWN (node WWN) of fc1/9.

Latest 300-175 Dumps

300-175 Study Guide

300-175 Braindumps

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.