300-180 Q&As

Troubleshooting Cisco Data Center Infrastructure

Pass Cisco 300-180 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.lead4pass.com/300-180.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

Instant Download After Purchase
100% Money Back Guarantee
365 Days Free Update
800,000+ Satisfied Customers

QUESTION 1

Which commands can you enter to see if a component in the Cisco UCS domain generated a core file?

A. 6100-A# scope monitoring 6100-A /monitoring # scope sysdebug 6100-A /monitoring/sysdebug # show cores Core Files: Name Fabric ID

B. 6100-A# scope sysdebug 6100-A /sysdebug # scope monitoring 6100-A /sysdebug/monitoring # show cores Core Files: Name Fabric ID

C. 6100-A# scope system 6100-A /system # scope monitoring 6100-A /system/monitoring # show cores Core Files: Name Fabric ID

D. 6100-A# scope cores 6100-A /cores # show cores Core Files: Name Fabric ID

E. 6100-A# scope logging 6100-A /logging # scope monitoring 6100-A /logging/monitoring # show cores Core Files: Name Fabric ID

Correct Answer: A

QUESTION 2

Refer to the exhibit.

```
%ZONE-2-ZS_MERGE_FAILED: %$VSAN 1%$ Zone merge failure, isolating interface fc2/1 error:
Received rjt from adjacent switch:[reason:0]
%ZONE-2-ZS_MERGE_FAILED: %$VSAN 1%$ Zone merge failure, isolating interface fc1/2 error:
Member mismatch
%ZONE-2-ZS_MERGE_ADJ_NO_RESPONSE: Adjacent switch not responding,isolating interface
%ZONE-2-ZS_MERGE_FULL_DATABASE_MISMATCH: Zone merge full database mismatch on interface
```

A zone merge failure occurs with the above error log. What is the problem?

A. Two switches have the same zone set name but different zone members.

B. Two switches have different zone names and different members.

C. Two switches have the same zone set name and the same members.

D. Two switches have different zone names.

Correct Answer: A

QUESTION 3

Refer to the exhibit.



An administrator is deploying FCoE; however, a VFC interface will not come up. The administrator executes the commandshow platform software fcoe_mgr info interface vfc and displays the output. What is the problem?

A. An incorrect VSAN number is being used.

B. The connected host does not support FIP.

C. FCoE is not enabled.

D. Priority flow control is not being negotiated with the converged network adapter.

Correct Answer: B

QUESTION 4

Which statement is true regarding FHRP considerations for an OTV network?

A. VRRP is recommended over HSRP or GLBP.

B. Using an AED eliminates the need for FHRP.

C. FHRP should be limited to only the internal OTV interfaces.

D. Filtering FHRP across the OTV network is recommended to avoid a suboptimal path due to the election of a single default gateway.

Correct Answer: D

QUESTION 5

Which two commands will help an administrator identify any issues with an In-Service Software Upgrade? (Choose two.)

A. show cts interface

B. show incompatibility system

C. show license file

D. show install impact all

E. show install issu-failure

Correct Answer: BD

300-180 PDF Dumps 300-180 VCE Dumps 300-180 Exam Questions

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © lead4pass, All Rights Reserved.