300-206Q&As

Implementing Cisco Edge Network Security Solutions

Pass Cisco 300-206 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.lead4pass.com/300-206.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

Instant Download After Purchase
100% Money Back Guarantee
365 Days Free Update
800,000+ Satisfied Customers

QUESTION 1

A company is concerned with valid time sources and has asked for NTP authentication to be configured. Multiple NTP sources are on the network. Which configuration is required on the client device to authenticate and synchronize with an NTP source?

A. trusted key

B. stratum hash

C. SSL

D. certificate preshared key

Correct Answer: A

QUESTION 2

an engineer is applying best practices to stop vlan hopping attacks?

A. disable DTP on user facing ports

B. configure DHCP snooping on all switches

C. use the vlan dot 1Q tag native command

D. disable cisco discovaryprotocol on all switches

E. configure IP on source Guard on all switches

Correct Answer: AC

QUESTION 3

When you set a Cisco IOS Router as an SSH server, which command specifies the RSA public key of the remote peer when you set the SSH server to perform RSA-based authentication?

A. router(config-ssh-pubkey-user)#key

B. router(conf-ssh-pubkey-user)#key-string

C. router(config-ssh-pubkey)#key-string

D. router(conf-ssh-pubkey-user)#key-string enable ssh

Correct Answer: B

QUESTION 4

Refer to the exhibit. Which option describes the expected result of the capture ACL?

A. The capture is applied, but we cannot see any packets in the capture

B. The capture does not get applied and we get an error about mixed policy.

C. The capture is applied and we can see the packets in the capture

D. The capture is not applied because we must have a host IP as the source

Correct Answer: B

The right answer is B (not A). This is because we need to use the ANY4 key, not ANY. You get a mixed policy error when you apply ACL on capture.



QUESTION 5

Refer to the Following.

NTP authentication-key 10 md5 cisco123

ntp trusted-key 10

A network engineer is testing NTP authentication, and realizes that any device can synchronize time with this router and that NTP authentication is not enforced. Which option is likely the issue?

A. Only SHA-1 is allowed as a hashing algorithm for NTP authentication.

B. The key must be configured in hashed format, not plain text.

C. NTP authentication needs to be specifically enabled.

D. The router must be rebooted before NTP can update.

Correct Answer: C

Enables or disables the NTP authentication feature. NTP authentication is disabled by default.

Use the ntp authenticate command to enable NTP authentication.

http://www.cisco.com/c/en/us/td/docs/switches/datacenter/sw/5_x/nx-os/system_management/configuration/guide/sm_nx_os_cg/sm_3ntp.html#wp1100303

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © lead4pass, All Rights Reserved.