

300-208^{Q&As}

Implementing Cisco Secure Access Solutions

Pass Cisco 300-208 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.lead4pass.com/300-208.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.lead4pass.com/300-208.html

QUESTION 1

Which two options are advantages of using the Cisco IOS Device Sensor as compared to other profiling probes\\'? (Choose two.)

- A. uses RADIUS authentication messages to send gathered data to a Cisco ISE server
- B. provides DHCP information to a Cisco ISE server without using an IP helper address
- C. reduces the amount of traffic going to a Cisco ISE server
- D. collects switch CPU and RAM usage for monitoring purposes
- E. replaces all the other profiling probes

Correct Answer: AD

QUESTION 2

What is required to implement Monitor Mode in a wireless network?

- A. Open authentication must be configured via Cisco WLC CLI.
- B. Wireless Monitor Mode policy should be enabled within Cisco ISE.
- C. Monitor mode in a wireless network is not possible.
- D. Cisco WLC should have this feature enabled inside the security properties for the WLAN.

Correct Answer: C

QUESTION 3

When RADIUS NAC and AAA Override are enabled for WLC on a Cisco ISE, which two statements about RADIUS NAC are true? (Choose two.)

- A. It will return an access-accept and send the redirection URL for all users.
- B. It establishes secure connectivity between the RADIUS server and the ISE.
- C. It allows the ISE to send a CoA request that indicates when the user is authenticated.
- D. It is used for posture assessment, so the ISE changes the user profile based on posture result.
- E. It allows multiple users to authenticate at the same time.

Correct Answer: CD

https://www.lead4pass.com/300-208.html

2021 Latest lead4pass 300-208 PDF and VCE dumps Download

QUESTION 4

Which task must you perform on a node before it can host Cisco ISE end-user web portals?

- A. Configure at least one SSID for guest access.
- B. Enable Captive Portal Bypass.
- C. Enable portal-policy services.
- D. Enable DHCP profiling.

Correct Answer: C

QUESTION 5

What is the function of the SGACL policy matrix on a Cisco TrustSec domain with SGT Assignment?

- A. It determines which access policy to apply to the endpoint.
- B. It determines which switches are trusted within the TrustSec domain.
- C. It determines the path the SGT of the packet takes when entering the Cisco TrustSec domain.
- D. It lists all servers that are permitted to participate in the TrustSec domain.
- E. It lists all hosts that are permitted to participate in the TrustSec domain.

Correct Answer: A

300-208 Practice Test

300-208 Study Guide

300-208 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.