



300-360^{Q&As}

Designing Cisco Wireless Enterprise Networks

Pass Cisco 300-360 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/300-360.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A wireless engineer is utilizing the voice readiness tool in Cisco Prime for a customer that wants to deploy Cisco IP phones. Which dBm range is the network inspected against?

- A. -75 to -67 dBm
- B. -72 to -65 dBm
- C. -85 to -65 dBm
- D. -85 to -67 dBm

Correct Answer: D

QUESTION 2

Which list of characteristics must all controllers in a mobility group have in common based on best practices?

- A. mobility group name, version of controller code, Control and Provisioning of Wireless Access Points mode, ACLs, and WLANs (SSIDs)
- B. mobility domain name, version of controller code, and Control and Provisioning of Wireless Access Points mode
- C. mobility domain name, version of controller code, Control and Provisioning of Wireless Access Points mode, ACLs, and WLANs (SSIDs)
- D. mobility group name, version of controller code, and Control and Provisioning of Wireless Access Points mode

Correct Answer: A


QUESTION 3

Drag from the left the acceptable minimum cell overlap for data and voice cells for site survey and deployment

Select and Place:

7MHz	www.lead4pass.com	Voice
12MHz		
17MHz		Data
22MHz		
30MHz		

Correct Answer:



QUESTION 4

Which piece of information gathered during a WLAN site survey should be included in the customer report?

- A. Analysis of server location and applications supported.
- B. Analysis of fiber-optic backbone infrastructure.
- C. Output from Cisco WCS Location Quality Inspector.
- D. Output from Cisco WCS VoWLAN Voice Readiness Tool.
- E. Output from Cisco WCS Planning Mode Tool.

Correct Answer: E

QUESTION 5

What is the Cisco-recommended cell overlap percentage for a typical RTOWLAN network design?

- A. 5 to 10
- B. at least 20
- C. a maximum of 20
- D. at least 50

Correct Answer: B

[300-360 Practice Test](#)

[300-360 Exam Questions](#)

[300-360 Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.lead4pass.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © lead4pass, All Rights Reserved.