

300-535^{Q&As}

Automating and Programming Cisco Service Provider Solutions
(SPAUTO)

Pass Cisco 300-535 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/300-535.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

An automation engineer is trying to configure a destination group to use dial-out telemetry with gRPC on a Cisco IOS XR platform. The template created is failing to apply. Which parameters must be configured?

- A. source IP address, source port, encoding, and sampling interval
- B. source IP address, source port, encoding, and protocol
- C. destination IP address, destination port, encoding, and sensor path
- D. destination IP address, destination port, encoding, and protocol

Correct Answer: D

Reference: https://www.cisco.com/c/en/us/td/docs/iosxr/asr9000/telemetry/b-telemetry-cg-asr9000-61x/b-telemetry-cg-asr9000-61x_chapter_010.html

QUESTION 2

```
module: openconfig-interfaces
+- -rw interfaces
  +- -rw interface* [name]
    +- -rw name                -> . ./config/name
    +- -rw config
      |   +- -rw type           identityref
      |   +- -rw mtu?          uint16
      |   +- -rw name?         string
      |   +- -rw description?  string
      |   +- -rw enabled?     boolean
    +- -ro state
      |   +- -ro type           identityref
      |   +- -ro mtu?          uint16
      |   +- -ro name?         string
      |   +- -ro description?  string
      |   +- -ro enabled?     boolean
      |   +- -ro ifindex?     uint32
      |   +- -ro admin-status  enumeration
      |   +- -ro oper-status   enumeration
      |   +- -ro last change?  yang:timeticks
      |   +- -ro counters
      |       +- -ro in-octets?   yang:counter64
      |       +- -ro in-unicast-pkts? yang:counter64
      |       +- -ro in-broadcast-pkts? yang:counter64
```

Refer to the exhibit. Which two configuration leaves in this YANG model are optional? (Choose two.)

- A. last-change
- B. oper-status
- C. type
- D. enabled
- E. mtu

Correct Answer: AE

QUESTION 3

An engineer is deploying a Python script to manage network devices through SSH. Which library based on Paramiko is used?

- A. sshmiko
- B. paramiko.agent
- C. libssh2
- D. netmiko

Correct Answer: D

Reference: <https://pynet.twb-tech.com/blog/automation/netmiko.html>

QUESTION 4

```
"request": {  
  "url": "http://{{server}}:{{port}}/restconf/data/l3vpn:vpn/l3vpn=test",  
  "method": "POST",  
<snip>
```

Refer to the exhibit. What are the two outcomes when the RESTCONF POST code is implemented? (Choose two.)

- A. A new VPN endpoint to a VPN is added.
- B. An L3VPN endpoint to a VPN is replaced.
- C. An L3VPN endpoint to a VPN is merged.
- D. A new L3VPN endpoint to a VPN is added.
- E. An L3VPN endpoint to a VPN is updated.

Correct Answer: DE

QUESTION 5

Which two data formats are human readable? (Choose two.)

- A. YAML
- B. Apache Arrow
- C. gRPC
- D. binary
- E. JSON

Correct Answer: AE

[300-535 PDF Dumps](#)

[300-535 VCE Dumps](#)

[300-535 Study Guide](#)