

# 300-625<sup>Q&As</sup>

Implementing Cisco Storage Area Networking (DCSAN)

## Pass Cisco 300-625 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/300-625.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



## QUESTION 1

### DRAG DROP

Drag and drop the mechanisms of Cisco Secure Boot from the left into the correct order on the right.

Select and Place:

Validate the Cisco digital signature on the next set of instructions.	Step 1
The operating system is launched if all the checks are passed.	Step 2
The microloader instruction set is stored in a genuine hardware anchor.	Step 3
Validate the genuineness of the device operating system.	Step 4

Correct Answer:

	The microloader instruction set is stored in a genuine hardware anchor.
	Validate the Cisco digital signature on the next set of instructions.
	Validate the genuineness of the device operating system.
	The operating system is launched if all the checks are passed.

## QUESTION 2

A storage administrator is upgrading Cisco NX-OS on a Cisco MDS switch. The administrator performs an ISSU upgrade following the configuration guide. While the install is proceeding, the administrator connects a new server to the switch, which cannot access storage. The existing servers continue to operate properly through the switch. Why is the new server failing to connect?

- A. The fabric data plane resets as part of the upgrade process.
- B. The new server is unable to log in to the fabric to receive an FC-ID.

- C. The upgrade process disables any currently unused ports.
- D. The zoning database is locked during the upgrade process.

Correct Answer: D

---

### QUESTION 3

Which two steps are mutual between Cisco secure boot and UEFI secure boot? (Choose two.)

- A. bootloader
- B. operating system
- C. microloader
- D. kernel
- E. hardware anchor

Correct Answer: AB

---

### QUESTION 4

Which feature on MDS platforms ensures that the code that is running on the hardware platform is authentic and unmodified, while also validating the BIOS to eliminate any rootkits.

- A. Cisco Secure Boot
- B. UEFI Secure Boot
- C. Secure Unique Device Identifier
- D. BIOS Secure Boot

Correct Answer: A

---

### QUESTION 5

What is the function of the 0xFFFFFC address in a Fibre Channel fabric?

- A. management server
- B. fabric controller
- C. name server
- D. time server

Correct Answer: C

---

[Latest 300-625 Dumps](#)

[300-625 Practice Test](#)

[300-625 Exam Questions](#)