

300-630^{Q&As}

Implementing Cisco Application Centric Infrastructure - Advanced (DCACIA)

Pass Cisco 300-630 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/300-630.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

What is a design implication for Cisco ACI using an application-centric approach?

- A. Multiple VLANs and/or multiple EPGs are under one bridge domain
- B. VLAN numbers are in the names of the bridge domain and EPG objects
- C. One EPG is mapped to multiple bridge domains
- D. One VLAN equals one EPG equals one bridge domain

Correct Answer: C

QUESTION 2

An engineer configures a new Cisco ACI Multi-Pod and must set up the link between the spine and the IPN device. Which three actions should be taken to accomplish this goal? (Choose three.)

- A. Enable MP-BGP routing
- B. Enable BIDIR-PIM protocol
- C. Enable PIM-SM protocol
- D. Enable OSPF routing
- E. Enable IS-IS routing
- F. Enable DHCP relay

Correct Answer: ABF

QUESTION 3

Cisco ACI fabric is migrated from network-centric mode to application-centric mode. What is possible in an application-centric design?

- A. remapping of VLAN pools
- B. migration of bare metal servers to virtual machines
- C. creation of additional EPGs under one bridge domain
- D. Cisco ACI VMM integration with hypervisors

Correct Answer: C

QUESTION 4

https://www.leads4pass.com/300-630.html

2024 Latest leads4pass 300-630 PDF and VCE dumps Download

What two actions should be taken to deploy a new Cisco ACI Multi-Pod setup? (Choose two.)

- A. Configure anycast RP for the underlying multicast protocol
- B. Configure the TEP pool of the new pod to be routable across the IPN
- C. Configure MP-BGP on IPN routers that face the Cisco ACI spines
- D. Increase interface MTU for all IPN routers to support VXLAN traffic
- E. Connect all spines to the IPN

Correct Answer: DE

QUESTION 5

DRAG DROP

An engineer deploys a Cisco ACI Multi-Site Orchestrator for the first time. Drag and drop the actions from the left into the steps on the right to add a site and deploy new Cisco ACI objects to the fabric. Not all actions are used.

Select and Place:

Create a template	Step 1
Configure infrastructure	Step 2
Create and associate a tenant	Step 3
Configure multicast routing	Step 4
Define a schema	Step 5
Create a site	

Correct Answer:



https://www.leads4pass.com/300-630.html 2024 Latest leads4pass 300-630 PDF and VCE dumps Download

	Configure infrastructure
	Create and associate a tenan
	Define a schema
Configure multicast routing	Create a template
	Create a site

300-630 PDF Dumps

300-630 VCE Dumps

300-630 Study Guide