300-820^{Q&As}

Implementing Cisco Collaboration Cloud and Edge Solutions (CLCEI)

Pass Cisco 300-820 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/300-820.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

Leads4Pass

800,000+ Satisfied Customers



Leads4Pass

QUESTION 1

Which service is available in a cloud-based deployment using Cisco Webex Messenger?

- A. Presence
- B. Phone services
- C. Voicemail
- D. Call forward services

Correct Answer: A

QUESTION 2

Which interworking option must be used on the Expressway for it to act as a SIP/H.323 gateway when no endpoint is registered?

- A. enabled
- B. registered only
- C. off
- D. on
- Correct Answer: D

https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/expressway/admin_guide/X14-0/exwy_b_cisco-expressway-administrator- guide/exwy_m_protocols.html

QUESTION 3

Refer to the exhibit.

Leads4Pass

IP	
Configuration	
IP protocol Use dual network interfaces External LAN interface IPv4 gateway	t IPv4 ▼ € t Yes ▼ € t LAN 1 ▼ € t 192.168.108.1 €
LAN 1 - Internal	
IPv4 address IPv4 subnet mask IPv4 subnet range IPv4 static NAT mode Maximum transmission unit (MTU)	192.168.114.18 1 1 1 1 1 255.255.255.0 1
LAN 2 - External	
IPv4 address IPv4 subnet mask IPv4 subnet range IPv4 static NAT mode	192.168.108.2
Maximum transmission unit (MTU)	• 1 1500
Save	

The firewall has been configured from NAT 192.168.108.2 to 100.64.0.1. Which configuration changes are needed for an Expressway-E with dual network interfaces?

A.

External LAN interface: LAN 2 LAN 1 IPv4 static NAT mode: On LAN 1 IPv4 static NAT address: 100.64.0.1 LAN 2 IPv4 static NAT mode: On LAN 2 IPv4 static NAT address: 100.64.0.1

Β.

External LAN interface: LAN 2 LAN 2 IPv4 static NAT mode: On LAN 2 IPv4 static NAT address: 100.64.0.1

C.

External LAN interface: LAN 1 LAN 1 IPv4 static NAT mode: On LAN 1 IPv4 static NAT address: 100.64.0.1

D.

External LAN interface: LAN 2 LAN 1 IPv4 static NAT mode: On LAN 1 IPv4 static NAT address: 100.64.0.1

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: B

QUESTION 4

An engineer configures a Cisco Collaboration environment to use Mobile and Remote Access for external access for company users. The engineer uses OAuth with refresh on the Cisco UCM SIP lines for extra security and improved user experience. During the setup, Mobile and Remote Access does not work, it is enabled on the Cisco UCM and Cisco Expressways. SIP trunks on ports 5090 and 5091 are configured to avoid con icts with other SIP trunks between internal

Leads4Pass https://www.leads4pass.com/300-820.html 2024 Latest leads4pass 300-820 PDF and VCE dumps Download

Cisco UCM clusters. The traversal zone also uses port 6500. The traversal zone between Expressways shows no errors, and the requests hit Expressway-E from the Internet. What is the reason that the solution does not work?

A. Mobile and Remote Access does not support OAuth with refresh with this configuration,

B. The default port for Mobile and Remote Access is 6001. Therefore, the traversal port must be port 6001 for Mobile and Remote Access to work.

C. The default port for Mobile and Remote Access is 6500, which creates a con ict with the existing traversal zone port.

D. The default port for Mobile and Remote Access is 5091, which creates a con ict with the existing SIP trunks.

Correct Answer: D

QUESTION 5

An Expressway-E is configured using a single NIC with NAT.

How must the Expressway-C traversal client zone be configured to connect to the Expressway-E?

- A. TLS verify must be enabled.
- B. The zone profile must be set to default.
- C. The peer address must be the Expressway-E NAT address.
- D. The peer address must be the Expressway-E LAN 1 IP address.

Correct Answer: C

300-820 Study Guide

300-820 Exam Questions

300-820 Braindumps