

## 300-825<sup>Q&As</sup>

Implementing Cisco Collaboration Conferencing (CLCNF)

### Pass Cisco 300-825 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/300-825.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers




**QUESTION 1**

What is the default maximum resolution for the internal streamer?

- A. 720p
- B. 1440p
- C. 1080p
- D. 480p

Correct Answer: C

Reference: [https://www.cisco.com/c/dam/en/us/td/docs/conferencing/ciscoMeetingServer/Release\\_Notes/Version-3-0/Cisco-Meeting-Server-Release-Notes-3-0.pdf](https://www.cisco.com/c/dam/en/us/td/docs/conferencing/ciscoMeetingServer/Release_Notes/Version-3-0/Cisco-Meeting-Server-Release-Notes-3-0.pdf)

**QUESTION 2**

Timestamp	Severity	Message
24/11/2020 10:15:23	Warning	LDAP is not configured
24/11/2020 10:15:34	Error	The server CMS-0 did not allow for this Meeting Management to be added as a CDR receiver
24/11/2020 10:25:34	Warning	CDRs have never been received for server CMS-0

Refer to the exhibit. A Cisco Meeting Management operator reports that there is a delay in seeing participants join and leave in the participant list, and there are issues with audio and video mute operations. The administrator investigates and sees notifications in Cisco Meeting Management.

Which step resolves this issue?

- A. Free a CDR slot on Cisco Meeting Server.
- B. Set the CDR address in Cisco Meeting Management under Settings > CDR.
- C. Manually set the Cisco Meeting Management CDR address in Cisco Meeting Server and Cisco Meeting

Management.

D. Change the CDR address to use HTTPS.

Correct Answer: C

---

**QUESTION 3**

A company wants to keep conferencing resources isolated and local for a new branch. The branch has one administrator for both internal and external traffic. Which Cisco Meeting Server deployment should be used?

A. Scalable and Resilient Cisco Meeting Server

B. Cisco Meeting Server Edge

C. Single Combined Cisco Meeting Server

D. Single Split Cisco Meeting Server

Correct Answer: D

---

**QUESTION 4**

Which source does Cisco Meeting Management integrate with to get a directory provisioned?

A. UDS in Cisco UCM

B. phonebook service in Cisco TMS

C. external LDAP

D. user directory on Expressway-C

Correct Answer: C

---

**QUESTION 5**

Which two protocols should be used to back up Cisco Meeting Server? (Choose two.)

A. SIP

B. SFTP

C. HTTPS

D. HTTP

E. SSH

Correct Answer: BE

---

[300-825 PDF Dumps](#)

[300-825 Exam Questions](#)

[300-825 Braindumps](#)