

300-825^{Q&As}

Implementing Cisco Collaboration Conferencing (CLCNF)

Pass Cisco 300-825 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/300-825.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which type of zone should be configured on the Expressway-C to route calls to Cisco Meeting Server spaces?

- A. ENUM
- B. DNS
- C. traversal
- D. neighbor

Correct Answer: D

QUESTION 2

```
Content-Type: application/sdp Content-Length: 4938 v=0 o=Acano 0 0 IN IP4 10.0.101.120 s=c=IN IP4 10.0.101.120
b=CT:16 t=0 0 m=audio 50262 RTP/AVP 108 107 109 110 9 99 111 100 104 103 0 8 15 102 18 13 118 101 a=crypto:1
AEAD_AES_128_GCM *****|2^48 a=crypto:2 AEAD_AES_256_GCM
*****|2^48 a=crypto:3 AES_CM_128_HMAC_SHA1_80
*****|2^48 a=crypto:4 AES_CM_128_HMAC_SHA1_32
*****|2^48 m=video 50264 RTP/AVP 97 116 114 96 34 31 100 121
b=TIAS:16000 a=crypto:1 AEAD_AES_128_GCM *****|2^48 a=crypto:2
AEAD_AES_256_GCM *****|2^48 a=crypto:3
AES_CM_128_HMAC_sha1_80 *****|2^48 a=crypto:4
AES_CM_128_HMAC_sha1_32 *****|2^48 a=content:main a=sendrecv
a=sprop-source:1 count=2;policies=cs:1 a=sprop-simul:1 1 * a=rtcp-fb:* nack pli a=rtcp-fb:* ccm fir a=rtcp-fb:* ccm cisco-
scr a=extmap:1 http://protocols.cisco.com/virtualid a=extmap:2 http://protocols.cisco.com/frame marking a=rtpmap:97
H264/90000 a=fmtp:97 profile-level-id=42800a;max-mpbs=489600;max-fs=8160;max-cpb=4000;max-dpd=4752;max-
fps=6000
```

Refer to the exhibit. Users report that they do not see a high-quality picture on the high-definition endpoints when they call into Cisco Meeting Server. An engineer must extract the SDP that is offered by Cisco Meeting Server from the SIP traces to troubleshoot. What is the cause of this issue?

- A. Cisco Meeting Server is not configured for H.265 to support high-definition video calling.
- B. The AES ciphers are not compatible with high-definition video calling.
- C. The Content-Length value in the SDP does not support high-definition video calling.
- D. The SIP call bandwidth is not at a value that supports high-definition video calling.

Correct Answer: D

QUESTION 3

DRAG DROP

Drag and drop the tasks from the left into the order on the right to install Cisco Meeting Server version 3.0.

Select and Place:

Enable Call Bridge and Web Admin services.	step 1
Configure IP interface for admin and set host name and MMP accounts.	step 2
Configure basic call settings and incoming and outgoing call rules.	step 3
Configure network time protocol server and generate certificates for meeting server.	step 4

Correct Answer:

	Configure IP interface for admin and set host name and MMP accounts.
	Configure network time protocol server and generate certificates for meeting server.
	Enable Call Bridge and Web Admin services.
	Configure basic call settings and incoming and outgoing call rules.

Reference: <https://www.cisco.com/c/dam/en/us/td/docs/conferencing/Cisco-Meeting-Management/Installation/Cisco-Meeting-Management-3-0-Installation-and-Configuration-Guide.pdf>

QUESTION 4

An organization wants to ensure that off-premises users can use a browser to join the Cisco Meeting Server web app without needing additional software. What must be included in the Expressway-E certificate to accomplish this goal?

- A. the Call Bridge name as a SAN
- B. the Web Admin interface FQDN as a SAN

C. the name of each Cisco Meeting Server that is part of the cluster

D. the Guest account client URI as a SAN

Correct Answer: B

Reference: <https://www.cisco.com/c/en/us/support/docs/conferencing/meeting-server/210800-configure-cms-webrtc-proxy-over-expressw.html>

QUESTION 5

The screenshot shows the Cisco Meeting Management interface. On the left is a navigation sidebar with icons for Overview, Meetings, Users, Servers, Logs, Licenses, and Settings. The main content area is titled 'Overview' and contains a 'License status' section. This section lists six clusters with their respective compliance statuses:

- Cluster 1:** Out of compliance (indicated by a red 'X' icon).
- Cluster 2:** Insufficient licenses (indicated by a yellow warning triangle icon).
- Cluster 3:** Over 80% threshold (indicated by a green 'i' icon).
- Cluster 4:** In compliance (indicated by a green checkmark icon).
- Cluster 5:** Unknown compliance (indicated by a grey question mark icon).
- Cluster 6:** Status not available (indicated by a grey 'X' icon).

Refer to the exhibit. What does this notification indicate about activity over the last 90 days?

- A. In cluster 2, more licenses have been used than are installed for less than 15 days.
- B. In cluster 3, the license agreement will remain in compliance for 20 more days.

C. In cluster 4, at least 5 percent of the installed licenses have not been used.

D. In cluster 6, the license agreement has been out of compliance for more 30 days.

Correct Answer: A

[300-825 PDF Dumps](#)

[300-825 Practice Test](#)

[300-825 Braindumps](#)