

300-920^{Q&As}

Developing Applications for Cisco Webex and Webex Devices
(DEVWBX)

Pass Cisco 300-920 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/300-920.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which two statements about using the Compliance Office role to manage data in Webex Teams are true? (Choose two.)

- A. For group rooms with members from multiple organizations, only the compliance officer of the owning organization can manage all data.
- B. The compliance officer can manage data only for users who have granted the spark-compliance messages scope.
- C. For direct rooms between two organizations, each compliance officer can manage data only from their organization.
- D. For group rooms with members from multiple organizations, either compliance officer can manage all data.
- E. For direct rooms between two organizations, the compliance officer of either organization can manage all data.

Correct Answer: CE

Reference: <https://developer-portal-intb.ciscospark.com/docs/api/guides/compliance>

QUESTION 2

Which two items are needed to give a Webex user the ability to archive all Webex Teams messages for an organization? (Choose two.)

- A. Give the user "Read-only administrator privileges" in the Webex Control Hub.
- B. Create an Integration app with all "spark_compliance" read scopes enabled.
- C. Use the Webex Meetings XML API "SetUser" to update the user's "" value to "TRUE".
- D. Configure the user as a "Compliance Officer" in the Webex Control Hub.
- E. Create a Bot app with all "webex_compliance" read scopes enabled.

Correct Answer: AD

Reference: https://www.cisco.com/c/dam/en/us/td/docs/voice_ip_comm/cloudCollaboration/spark/esp/Webex-Teams-Security-Frequently-Asked-Questions.pdf

QUESTION 3

```
1  /**
2  * A small In-Room controls panel with 4 quick dial numbers
3  */
4  const xapi = require('xapi');
5
6  //These match the widget ids of the In-Room control buttons
7  const numbers = {
8      dial_catering: 'catering@example.com',
9      dial_it_support: 'itsupport@example.com',
10     dial_taxi: 'taxi@example.com',
11     dial_reception: 'reception@example.com',
12 },
13
14 function dial(number) {
15     xapi.command('call', {Number:number});
16 }
17
18 function listenToGui() {
19     xapi.event.on('UserInterface Extensions Widget Action', (event)=> {
20         if (event.Type === 'clicked') {
21             const number = numbers[event.WidgetId];
22             if(number) dial(number);
23             else console.log('Unknown button pressed', event.WidgetId);
24         }
25     });
26 }
```

Severity ▾ Enter filter Show history

```
22:38:35 [system] > Starting macros...
22:38:35 Quick dial > Loading...
22:38:36 Quick dial > Ready!
22:38:36 Quick dial > 'Unhandled promise rejection' {code: 3,
message: 'Ambiguous command',
data: {xpath: '/Call'}}
```

Refer to the exhibit. An end user reports that the speed dial button is not working on their Webex Device, and when loading into the Macro Editor, this error was presented. On which line is the incorrect syntax?

- A. line 4
- B. line 14
- C. line 15
- D. line 22

Correct Answer: C

Reference: <https://community.cisco.com/t5/telepresence-and-video/ce9-2-1-macro-framework-discussions/td-p/3220093>

QUESTION 4

Which two statements are true when comparing the SSH, HTTP, and WebSocket interfaces of a Cisco Collaboration device? (Choose two.)

- A. The SSH interface supports XML payloads only.
- B. The SSH, HTTP, and WebSocket interfaces support JSON and XML payloads.
- C. The HTTP interface supports JSON and XML payloads.
- D. Communications can be encrypted for all SSH, HTTP, and WebSocket interfaces.
- E. The WebSocket interface supports JSON payloads only.

Correct Answer: BD

QUESTION 5

```
const request = require('request');
request.post({url: 'https://api.webex.com/WBXService/XMLService',
  headers: {'Content-Type': 'text/xml'},
  body: '<message><header><securityContext>
  <siteName>apidemoeu</siteName>
  <webExID>alice</webExID>
  <sessionTicket>AAABb6DpCJgAABUU2X0FMR09SSVRITV8=</sessionTicket>
</securityContext></header>
<body><bodyContent xsi:type= "java:com.webex.service.binding.meeting.CreateMeeting">
  <accessControl>
    <meetingPassword>Cisco1234</meetingPassword>
  </accessControl>
  <metaData><confName>Sample Meeting</confName>
  <meetingType>105</meetingType></metaData>
  <schedule><startDate>1/13/2020 16:00:00</startDate></schedule>
</bodyContent></body></message>' },
function (error, response, body) {
  if (!error && response.statusCode == 200) {
    console.log('Here!') } });
```

Refer to the exhibit. The Node.js script shown uses the Webex Meetings XML API to print "Here!" to the console. Which statement is a correct observation about the results of the script?

- A. The was not complex enough.
- B. The credential was expired.
- C. The WebexMeetings XML API service processed the request.
- D. The meeting was created successfully.

Correct Answer: C

The password, although not that good, has a capital letter and numbers. Therefore, it is okay. SessionTicket credential

is not expired because the error function doesn't check that. We are not sure if the meeting was created successfully however, there is no wrong in the code, therefore, webexmeetings XML API service has processed the request.

[300-920 VCE Dumps](#)

[300-920 Practice Test](#)

[300-920 Study Guide](#)