

304-150^{Q&As}

LPI Level 3 Exam 304, Senior Level Linux Certification, Virtualization & High Availability

Pass Lpi 304-150 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/304-150.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which CPU flag indicates the hardware virtualization capability on an AMD CPU?

- A. SVM
- B. VIRT
- C. VMX
- D. PVM
- E. HVM

Correct Answer: A

QUESTION 2

Which option is missing in the command below to perform a Xen migration of a domain without pausing the virtual machine? (Please specify only the option in short or long form) `xm migrate vm1 ____ 192.168.1.1` Your Response:

Correct Answer: -l --live | live

QUESTION 3

Which one of the following should NOT be used as a lowlevel device for DRBD?

- A. A LVM logical volume
- B. A physical hard disk
- C. A EVMS volume
- D. A loop device

Correct Answer: D

QUESTION 4

Which command could be used to generate an ID that uniquely identifies the virtual machine in Xen?

- A. uuid
- B. uuidgen
- C. `xm uuid domainid`

D. openssl uuid

Correct Answer: B

QUESTION 5

Which one of the following statements about STONITH is NOT true?

- A. You can use hardware devices such as HP ILO or Dell DRAC management boards for STONITH.
- B. Resources will migrate only after a STONITH operation has been issued successfully.
- C. It is recommended to use STONITH to increase the integrity of the cluster.
- D. Null STONITH is a good solution if you have guaranteed the integrity of the file systems used in your cluster in another way.
- E. When setting up SSHSTONITH, you should use a dedicated communications link for the STONITH traffic in the cluster.

Correct Answer: E

[Latest 304-150 Dumps](#)

[304-150 PDF Dumps](#)

[304-150 Practice Test](#)