

304-200^{Q&As}

LPIIC-3 Exam 304: Virtualization & High Availability, version 2.0

Pass Lpi 304-200 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/304-200.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

In keepalived, what keyword starts the configuration section for one of the failover servers?

- A. lvs_server
- B. virtual_server
- C. vrrp_instance
- D. vrrp_sync_group

Correct Answer: B

Reference: <https://manpages.debian.org/stretch/keepalived/keepalived.conf.5.en.html>

QUESTION 2

Which of the following commands boots a KVM virtual machine using Debian GNU/Linux?

- A. `qemu -create -drive file=debian.img -cdrom debian.iso -m 1024 -boot d`
- B. `qemu-kvm -drive file=debian.img -cdrom debian.iso -m 1024 -boot d`
- C. `kvm -create -drive file=debian.img -cdrom debian.iso -m 1024 -boot d`
- D. `kvm -qemu -drive file=debian.img -cdrom debian.iso -m 1024 -boot d`

Correct Answer: B

QUESTION 3

What is the purpose of the Cluster Configuration System (CCS)?

- A. It manages the cluster configuration information file.
- B. It fences a dropped node.
- C. It manages ACLs for cluster service access.
- D. It manages the network topology and settings for the cluster.

Correct Answer: A

QUESTION 4

Which O2CB mode should be used for OCFS2 integration with heartbeat?

- A. user

- B. dlm
- C. heartbeat
- D. kernel

Correct Answer: A

QUESTION 5

Which of the following statements are true regarding the handling of a hardware error in a high availability cluster?
(Choose THREE correct answers.)

- A. High availability provides automatic recovery from software errors only and cannot mitigate hardware issues.
- B. After the cluster deals with an error, no manual actions are required to bring the cluster back to normal operation.
- C. Erroneous components are physically turned off as they are in an undefined state.
- D. Services are restarted on or redirected to other cluster nodes.
- E. The cluster management components monitor the health of all cluster components.

Correct Answer: CDE

[Latest 304-200 Dumps](#)

[304-200 PDF Dumps](#)

[304-200 Practice Test](#)