

304-200^{Q&As}

LPIC-3 Exam 304: Virtualization & High Availability, version 2.0

Pass Lpi 304-200 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/304-200.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What is XAPI?

- A. An extension of libvirt which adds live migration of virtual servers between arbitrary hypervisors.
- B. A ReSTful API which is used by xl to communicate with the Xen hypervisor.
- C. The communication interface between a paravirtualized Linux Kernel and the Xen hypervisor.
- D. A high level tool chain which provides advanced management tools and interfaces for Xen.
- E. The internal messaging system within the Xen hypervisor.

Correct Answer: D

QUESTION 2

When KVM is launched with the parameter `-boot order=n`, which of the following devices will be searched for a bootable operating system?

- A. All floppy, CDROM, and hard disk drives in that order.
- B. No devices are searched and the user is prompted to choose the boot device.
- C. All network interfaces attached to the VM.
- D. All hard disks and no other devices.
- E. No devices are searched in order to support directly booting a Linux kernel.

Correct Answer: C

QUESTION 3

When using DRBD in a Pacemaker cluster, which configuration objects must be managed in order to use the DRBD device as storage for other cluster services? (Choose TWO correct answers.)

- A. A security resource in order to permit other cluster services to access the data on the DRBD device.
- B. A health resource in order to check the integrity of the file system.
- C. A file system resource to mount the device.
- D. A replication resource that synchronizes the DRBD device's data to all nodes that may take over the device after a failover.
- E. A constraint to ensure the device is mounted before the dependent services are started.

Correct Answer: CE

QUESTION 4

When running a Linux Virtual Server (LVS) cluster, what is the purpose of a nanny process?

- A. Each nanny process checks the state of one configured service on one real server, and tells LVS if the service on that real server is malfunctioning.
- B. The nanny process powers off a nonfunctional backend server.
- C. The nanny process restarts the daemon of a failed service on a real server node.
- D. The nanny process changes the IP routing table in the Linux kernel according to the LVS configuration.

Correct Answer: A

QUESTION 5

Which of the following statements is true regarding a failover cluster?

- A. The core component of every failover cluster is a load balancer.
- B. Every service may not be run more than once in a cluster.
- C. Failover clusters provide scalability of a service beyond the capacities of one cluster node.
- D. Failover clusters always require storage that is shared by all nodes.
- E. In normal operation, services may be spread over all nodes.

Correct Answer: E

[304-200 Practice Test](#)

[304-200 Study Guide](#)

[304-200 Braindumps](#)