

3100.1^{Q&As}

Avaya Aura Communication Manager Administration Exam

Pass Avaya 3100.1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/3100-1.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Scenario

A user reports that when attempting to dial an external call to local number the system does nothing ?just silence.

You interview the user as follows.

You: What happens if you longer after you dial your number? User: once I waited for about half a minute, then I heard these tones that supported the something was wrong.

You: Did the sound stay on the same pitch or did it change pitches back and forth? User: Back and forth one pitch higher than the other.

You: OK, that helps. What did you dial to get an outside line? User: Nine (9)

You: Thank you, I appreciate the information, I will get back with you shortly.

DIAL PLAN ANALYSIS TABLE			Percent Fail: 0		
Location: all					
Dialed String	Total Length	Call Type	Dialed String	Total Length	Call Type
0	1	attd	87	5	ext
1	3	fac	88	5	ext
2	5	ext	89	5	ext
3	5	ext	9	5	ext
4	5	ext	*	2	fac
5	5	ext	#	2	fac
6	5	ext			
7	5	ext			
80	3	dac			
81	3	dac			
82	3	dac			
83	3	dac			
84	3	dac			
85	3	dac			
86	3	dac			

With reference to the scenario described in the exhibit, which statement most accurately describes the situation?

- A. The user should have been able to complete the call as dialed
- B. The system must be re-administered to correct the situation
- C. After dialing "9" the user should have dialed more digits, then the external call would have completed
- D. The user did not dial the correct access code to make an external call

Correct Answer: B

QUESTION 2

Which Communication Manager command creates the most helpful report to diagnose problems with users who, when

attempting to place outgoing calls, get reorder tone?

- A. List trace station
- B. List measurement occupancy
- C. List performance hunt-group
- D. List measurements call-rate

Correct Answer: A

QUESTION 3

Which command must be used to define the system internal number scheme of the extensions?

- A. Change dialplan parameters
- B. Change node-name IP
- C. Change dialplan analysis
- D. Change uniform-dialplan

Correct Answer: C

QUESTION 4

The monitor and display capacity commands can be used to get a real-time status of the system using Avaya Site Administration (ASA). Which command and tool should you use to view the current load for a specific trunk group?

- A. monitor load command using terminal emulation
- B. monitor traffic command using terminal emulation
- C. monitor traffic command using GEDI
- D. display capacity using GEDI or terminal emulation

Correct Answer: B

QUESTION 5

