

350-401^{Q&As}

Implementing and Operating Cisco Enterprise Network Core Technologies (ENCOR) & CCIE Enterprise Infrastructure & CCIE Enterprise Wireless

Pass Cisco 350-401 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/350-401.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

DRAG DROP

Drag and drop the virtual components from the left onto their deceptions on the right.

Select and Place:

vNIC	zip file connecting a virtual machine configuration file and a virtual disk
OVA	file costarring a virtual machine disk drive
VMDK	configuration file costarring settings for a virtual machine such as guest OS
VMX	component of a virtual machine responsible for sending packets to the hypervisor
orrect Answer:	
	VMX
	VMDK
	OVA

QUESTION 2

Which router is elected the IGMP Querier when more than one router is in the same LAN segment?

- A. The router with the shortest uptime
- B. The router with the lowest IP address
- C. The router with the highest IP address
- D. The router with the longest uptime

Leads4Pass

https://www.leads4pass.com/350-401.html

2024 Latest leads4pass 350-401 PDF and VCE dumps Download

Correct Answer: B

Query messages are used to elect the IGMP querier as follows: 1. When IGMPv2 devices start, they each multicast a general query message to the all-systems group address of 224.0.0.1 with their interface address in the source IP address

field of the message. 2. When an IGMPv2 device receives a general query message, the device compares the source IP address in the message with its own interface address. The device with the lowest IP address on the subnet is elected

the IGMP querier. 3. All devices (excluding the querier) start the query timer, which is reset whenever a general query message is received from the IGMP querier. If the query timer expires, it is assumed that the IGMP querier has gone down,

and the election process is performed again to elect a new IGMP querier.

Reference:

 $https://www.cisco.com/c/en/us/td/docs/switches/lan/catalyst3750x_3560x/software/release/15-2_2_e/multicast/configuration_guide/b_mc_1522e_3750x_3560x_cg/b_ipmc_3750x_3560x_chapter_01000.html$

QUESTION 3

In a campus network design, what are two benefits of using BFD for failure detection? (Choose two.)

- A. BFD speeds up routing convergence time.
- B. BFD is an efficient way to reduce memory and CPU usage.
- C. BFD provides fault tolerance by enabling multiple routers to appear as a single virtual router.
- D. BFD provides path failure detection in less than a second.
- E. BFD enables network peers to continue forwarding packets in the event of a restart.

Correct Answer: AD

QUESTION 4

Which virtualization component creates VMs and performs hardware abstraction that allows multiple VMs to run at the same time?

- A. container
- B. Docker
- C. hypervisor
- D. rkt

Correct Answer: C

QUESTION 5

Refer to the exhibit.

Name is Bob Johnson Age is 75 Is alive

Favorite foods are:

- · Cereal
- Mustard
- Onions

What is the JSON syntax that is formed from the data?

A. {Name: Bob Johnson, Age: 75, Alive: true, Favorite Foods: [Cereal, Mustard, Onions]}

B. {"Name": "Bob Johnson", "Age": 75, "Alive": true, "Favorite Foods": ["Cereal", "Mustard", "Onions"]}

C. {`Name\\': `Bob Johnson\\', `Age\\': 75, `Alive\\': True, `Favorite Foods\\': `Cereal\\', `Mustard\\', `Onions\\'}

D. {"Name": "Bob Johnson", "Age": Seventyfive, "Alive": true, "Favorite Foods": ["Cereal", "Mustard", "Onions"]}

Correct Answer: B

350-401 PDF Dumps

350-401 Study Guide

350-401 Braindumps